

BUSINESS INKJET PRINTER



BUSINESS INKJET PRINTER

MENGAPA MEMILIH BUSINESS INKJET PRINTER ?

Epson business inkjet printers menghadirkan kualitas yang luar biasa, kecepatan sangat cepat, handal dan kinerja yang optimal untuk memenuhi kebutuhan bisnis Anda.


Revolutionary Compact PrecisionCore Linehead Design

Advanced built-in Nozzle Verification Technology memonitor kondisi nozzle dan kualitas cetak menyesuaikan secara otomatis tanpa interupsi, bahkan selama pencetakan.



Heat-Free Technology

Teknologi Heat-Free tidak membutuhkan panas dalam proses pengeluaran tinta. Sebaliknya tekanan diterapkan pada Piezo Element, yang melentur ke belakang dan meneruskan tinta dari printhead ke depan.



The Ecological Choice

Lakukan lebih banyak untuk bisnis Anda dan tetap lebih ramah lingkungan. Beralih ke Epson inkjet printer dan lihat bagaimana Anda dapat meningkatkan produktivitas yang lebih tinggi dan menurunkan emisi berbahaya dalam sehari-hari.

Printer inkjet kami menggunakan daya lebih kecil dari printer laser lainnya sehingga Anda tidak hanya peduli terhadap lingkungan, tetapi Anda menghemat biaya juga.

Jumlah karbon dioksida yang dipancarkan oleh laser printer akan membutuhkan hingga 8 pohon untuk menyerap semua karbon dioksida sedangkan printer inkjet Epson hanya butuh 1 pohon.

Part yang terbuang dari Printer inkjet lebih sedikit dibandingkan printer laser.

Epson Inkjet Printers Up to 85% less power consumption¹ VS Laser Printers

Epson Inkjet Printers Up to 85% less CO₂ generated² VS Laser Printers

Epson Inkjet Printers Up to 59% less replacement parts³ VS Laser Printers

BUSINESS INKJET PRINTER

Single Function Printer A4


WORKFORCE PRO WF-5390



- Print Tech PrecisionCore™ Printhead
- Print Type Print (Single Function)
- Print Resolution 4,800 x 1,200 dpi
(with Variable-Sized Droplet Technology)
- Print Speed Up to 34 ppm / 34 ppm (Black#1 / Colour#2) - Draft Text - Memo (A4)
Up to 24 ipm / 24 ipm (Black / Colour) - ISO 24734, A4, Simplex
Up to 15 ipm / 15 ipm (Black / Colour) - ISO 24734, A4, Duplex
- Paper Size A4, 8.5x13", Legal, Letter, Executive, B5, A5, A6, B6, 5x7", 16:9 wide, 4x6", Envelopes: #10, DL, C6, C4
- Power Consumption Operating: 22 Watt
Standby: 7 Watt
Sleep: 1.2 Watt
- Connectivity USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC
- Epson Connect Epson iPrint, Epson Email Print, Remote Print Driver
- Other Mobile Solutions Apple AirPrint, Google Cloud Print, Mopria Print Service
- Consumable Up to 10,000 pages* for black ink pack & 3,000 pages* for color ink pack

Multi Function Printer A4

WORKFORCE PRO WF-C5890



- Print Tech PrecisionCore™ Printhead
- Print Type Print, Scan, Copy, Fax with ADF
- Print Resolution 4,800 x 1,200 dpi
(with Variable-Sized Droplet Technology)
- Print Speed Up to 34 ppm / 34 ppm (Black#1 / Colour#2) - Draft Text - Memo (A4)
Up to 24 ipm / 24 ipm (Black / Colour) - ISO 24734, A4, Simplex
Up to 15 ipm / 15 ipm (Black / Colour) - ISO 24734, A4, Duplex
- Copy Speed Up to 22 ipm / 22 ipm (Black / Colour) - ISO 29183, A4, Simplex
Up to 22 ipm / 22 ipm (Black / Colour) - ISO 24735, A4, 1:1
- Scan Speed Monochrome 200 dpi: Flatbed / ADF (simplex) / ADF (duplex), 5 sec / 24 ppm / 8 ipm
Colour 200 dpi: Flatbed / ADF (simplex) / ADF (duplex), 5 sec / 24 ppm / 8 ipm
- Scan Resolution 1,200 x 2,400 dpi
- Paper Size A4, 8.5x13", Legal, Letter, Executive, B5, A5, A6, B6, 5x7", 16:9 wide, 4x6", Envelopes: #10, DL, C6, C4
- Power Consumption Operating: 25 Watt
Standby: 12 Watt
Sleep: 1.5 Watt
- Connectivity USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC
- Epson Connect Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
- Other Mobile Solutions Apple AirPrint, Google Cloud Print, Mopria Print Service
- Consumable Up to 10,000 pages* for black ink pack & 3,000 pages* for color ink pack

BUSINESS INKJET PRINTER

Multi Function Printer A4



WORKFORCE PRO WF-C579R



reddot award 2019
winner



Print Tech	PrecisionCore™ Printhead
Print Type	Print, Scan, Copy, Fax with ADF
Print Resolution	4,800 x 1,200 dpi
Print Speed	(with Variable-Sized Droplet Technology) Up to 34 ppm / 34 ppm (Black#1 / Colour#2) - Draft Text - Memo (A4) Up to 24 ipm / 24 ipm (Black / Colour) - ISO 24734, A4, Simplex Up to 22 ipm / 22 ipm (Black / Colour) - ISO 29183, A4, Simplex
Copy Speed	Up to 22 ipm / 22 ipm (Black / Colour) - ISO 29183, A4, Simplex Up to 22 ipm / 22 ipm (Black / Colour) - ISO 24735, A4, 1:1
Scan Speed	Monochrome 200 dpi: 5 sec (flatbed, A4 Landscape) Colour 200 dpi: 5 sec (flatbed, A4 Landscape) ADF (duplex), 5 sec / 24 ppm / 8 ipm
Scan Resolution	1,200 x 2,400 dpi
Paper Size	A4, 8.5x13", Legal, Letter, Executive, B5, A5, A6, B6, 5x7", 16:9 wide, 4x6", Envelopes: #10, DL, C6, C4
Power Consumption	Operating: 29 Watt Standby: 14 Watt Sleep: 1.3 Watt
Connectivity	USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Google Cloud Print, Mopria Print Service
Consumable	Up to 50,000 pages* ink packs

L6550




Printer Type	Print, Scan, Copy, Fax with ADF
Technology	PrecisionCore™ Printhead
Print Resolution	4,800 x 2,400 dpi
Print Speed	Up to 32 ppm / 22 ppm 25/12 ipm (ISO doc)
Copy Resolution	600 x 600 dpi
Copy Speed	Up to 23 ipm / 10 ipm
Scan Resolution	1,200 x 2,400 dpi
Scan Speed	Monochrome: 200dpi Up to 5.0sec / 27.5 ppm / 11 ipm Colour: 200dpi Up to 10sec / 9.0 ppm / 6.0 ipm
Connectivity	USB 2.0, Ethernet (100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11 b/g/n), Wi-Fi Direct
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solution	Apple AirPrint, Mopria Print Service
Ink Model	008

BUSINESS INKJET PRINTER

Multifunction Printer A4

L6580



- Printer Type Print, Scan, Copy, Fax with ADF
- Technology PrecisionCore™ Printhead
- Ink 4 Colours Epson Genuine Ink Bottle
- Print Resolution 4,800 x 1,200 dpi
- Print Speed Up to 32 ppm / 32 ppm
25/25 ipm (ISO doc)
- Copy Resolution 600 x 600 dpi
- Copy Speed Up to 23 ipm / 23 ipm
- Scan Resolution 1,200 x 2,400 dpi
- Scan Speed Monochrome: 5 sec / Up to 27.5 ipm / 11.5 ipm
Colour: 10 sec / Up to 9.0 ipm / 6.0 ipm
- Connectivity USB 2.0, Ethernet (100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11 b/g/n), Wi-Fi Direct
- Epson Connect Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
- Other Mobile Solution Apple AirPrint, Mopria Print Service
- Ink Model 008

Multifunction Printer A3

L15160




- Printer Type Print, Scan, Copy, Fax with ADF
- Technology PrecisionCore™ Printhead
- Ink 4 Colours Epson Genuine Ink Bottle
- Print Resolution 4,800 x 2,400 dpi
- Print Speed Up to 32 ppm / 32 ppm
25/21 ipm (ISO doc)
- Copy Resolution 600 x 600 dpi
- Copy Speed Up to 23 ipm / 23 ipm
- Scan Resolution 1,200 x 2,400 dpi
- Scan Speed Black: 5 sec / Up to 26.0 ipm / 11.5 ipm
Colour: 10 sec / Up to 9.0 ipm / 6.0 ipm
- Connectivity USB 2.0, Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct
- Epson Connect Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
- Other Mobile Solution Apple AirPrint, Mopria Print Service
- Warranty 2 years or 80,000 prints
- Ink Model 008

BUSINESS INKJET PRINTER

Multifunction Printer A3


L15180



Printer Type	Print, Scan, Copy, Fax with ADF
Technology	PrecisionCore™ Printhead
Ink	4 Colours Epson Genuine Ink Bottle
Print Resolution	4,800 x 1,200 dpi
Print Speed	Up to 32 ppm / 32 ppm 25/21 ipm (ISO doc)
Copy Resolution	600 x 600 dpi
Copy Speed	Up to 23 ipm / 23 ipm
Scan Resolution	1,200 x 2,400 dpi
Scan Speed	Black: 5 sec / Up to 26.0 ipm 11.5 ipm Colour: 10 sec / Up to 9.0 ipm 6.0 ipm
Connectivity	USB 2.0, Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solution	Apple AirPrint, Mopria Print Service
Warranty	2 years or 80,000 prints
Ink Model	008

Monochrome Multifunction Printer A3

M15180




Printer Type	Print, Scan and Copy with ADF
Technology	PrecisionCore™ Printhead
Ink	Black
Print Resolution	4,800 x 2,400 dpi
Print Speed	Up to 32 ppm / 32 ppm 25/16 ipm (ISO doc)
Copy Resolution	600 x 600 dpi
Copy Speed	Up to 23 ipm / 23 ipm
Scan Resolution	1,200 x 2,400 dpi
Scan Speed	Black: 5 sec / Up to 26.0 ipm 11.5 ipm Colour: 10 sec / Up to 9.0 ipm 6.0 ipm
Connectivity	USB 2.0, Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solution	Apple AirPrint, Mopria Print Service
Warranty	2 years or 80,000 prints
Ink Model	008

BUSINESS INKJET PRINTER

Multifunction Printer A3

WORKFORCE PRO WF-C878R



Print Method	PrecisionCore™ Print Head
Max Resolution	4,800 x 1,200 dpi (with Variable-Sized Droplet Technology)
Min Droplet Size	4.6 pl
Print Speed	Max Draft Text - Memo (A4) : Approx. 35 ppm / 35 ppm (Black / Colour) ISO 24734, A4, Simplex : Approx. 25 ipm / 24 ipm (Black / Colour) ISO 24734, A4, Duplex : Approx. 17 ipm / 16 ipm (Black / Colour) ISO 24734.2, A3, Simplex : Approx. 13 ipm / 13 ipm (Black / Colour) ISO 24734.2, A3, Duplex : Approx. 11 ipm / 11 ipm (Black / Colour)
Copy Resolution	600 x 600 dpi
Copy Speed	ISO 29183, A4, Simplex (Flatbed) Approx. 23 ipm / 22 ipm (Black / Colour) ISO 24735, A4, Simplex (ADF) Approx. 21 ipm / 21 ipm (Black / Colour) ISO 24735, A4, Duplex (ADF) Approx. 15 ipm / 15 ipm (Black / Colour)
Scan Resolution	1,200 x 2,400 dpi
Scan Speed	(A4 Landscape, Flatbed / ADF Simplex / ADF Duplex) Monochrome 200 dpi: 4.0 sec / 25 ppm / 45 ipm
Memory	Colour 200 dpi: 5.0 sec / 25 ppm / 45 ipm 3,072 MB


WORKFORCE PRO WF-C879R



Print Method	PrecisionCore™ Print Head
Max Resolution	4,800 x 1,200 dpi (with Variable-Sized Droplet Technology)
Min Droplet Size	4.6 pl
Print Speed	Max Draft Text - Memo (A4) : Approx. 35 ppm / 35 ppm (Black / Colour) ISO 24734, A4, Simplex : Approx. 26 ipm / 25 ipm (Black / Colour) ISO 24734, A4, Duplex : Approx. 18 ipm / 17 ipm (Black / Colour) ISO 24734.2, A3, Simplex : Approx. 13 ipm / 13 ipm (Black / Colour) ISO 24734.2, A3, Duplex : Approx. 11 ipm / 11 ipm (Black / Colour)
Copy Resolution	600 x 600 dpi
Copy Speed	ISO 29183, A4, Simplex (Flatbed) : Approx. 24 ipm / 23 ipm (Black / Colour)
Scan Resolution	600 x 600 dpi
Scan Speed	(A4 Landscape, Flatbed / ADF Simplex / ADF Duplex) Monochrome 200 dpi: 3.7 sec / 50 ppm / 100 ipm Colour 200 dpi: 3.7 sec / 50 ppm / 100 ipm
Memory	4,224 MB


BUSINESS INKJET PRINTER

WORKFORCE ENTERPRISE AM-C4000



Print Tech	PrecisionCore Line Head Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 23 ipm / 11 ipm (Black/ Colour) - ISO 24734.2, A3, Simplex / Duplex Approx. 7.6 sec / 7.6 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 40 ipm (Black and Colour) - ISO 29183, A4, Simplex (Flatbed) Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24735, A4, Simplex (ADF 1:1) Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	A4 Landscape: 3.0 sec, A3: 4.0 sec, A4: 60 ppm / 120 ipm A3: 30 ppm / -
Scan Resolution	600 x 600 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 110 Watt, Standby: 46 Watt, Sleep: 1.0 Watt
Connectivity	USB 3.0, Ethernet, Ethernet, Direct Wi-Fi, Fax, Storage with HDD
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, Microsoft Universal Print
Consumable	Up to 50,000 pages *for blank ink pack

WORKFORCE ENTERPRISE AM-C5000




Print Tech	PrecisionCore Line Head Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 50 ipm / 50 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 30 ipm / 15 ipm (Black/ Colour) - ISO 24734.2, A3, Simplex / Duplex Approx. 6.7 sec / 6.7 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 50 ipm (Black and Colour) - ISO 29183, A4, Simplex (Flatbed) Approx. 50 ipm / 50 ipm (Black/ Colour) - ISO 24735, A4, Simplex (ADF 1:1) Approx. 50 ipm / 50 ipm (Black/ Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	A4 Landscape: 3.0 sec, A3: 4.0 sec, A4: 60 ppm / 120 ipm A3: 30 ppm / -
Scan Resolution	600 x 600 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 110 Watt, Standby: 46 Watt, Sleep: 1.0 Watt
Connectivity	USB 3.0, Ethernet, Ethernet, Direct Wi-Fi, Fax, Storage with HDD
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, Microsoft Universal Print
Consumable	Up to 50,000 pages *for blank ink pack

BUSINESS INKJET PRINTER

Multifunction Printer A3


WORKFORCE ENTERPRISE AM-C6000

**NEW
PRODUCT**



Print Tech	PrecisionCore Line Head Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 60 ipm / 60 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 36 ipm / 20 ipm (Black/ Colour) - ISO 24734.2, A3, Simplex / Duplex Approx. 6.1 sec / 6.1 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 60 ipm (Black and Colour) - ISO 29183, A4, Simplex (Flatbed) Approx. 60 ipm / 60 ipm (Black/ Colour) - ISO 24735, A4, Simplex (ADF 1:1) Approx. 60 ipm / 60 ipm (Black/ Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	A4 Landscape: 3.0 sec, A3: 4.0 sec, A4: 60 ppm / 120 ipm A3: 30 ppm / -
Scan Resolution	600 x 600 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 110 Watt, Standby: 46 Watt, Sleep: 1.0 Watt
Connectivity	USB 3.0, Ethernet, Ethernet, Direct Wi-Fi, Fax, Storage with HDD
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, Microsoft Universal Print
Consumable	Up to 50,000 pages* for blank ink pack

WORKFORCE PRO WF-C20750



Print Tech	PrecisionCore™ Linehead Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 75 ipm / 75 ipm (Black / Colour) - ISO 24734, A4, Simplex / Duplex Approx. 45 ipm / 25.4 ipm (Black / Colour) - ISO 24734.2, A3, Simplex / Duplex Approx. 5.5 sec / 5.5 sec (Black / Colour) - ISO First Page Out Time
Copy Speed	Approx. 75 ipm (Black / Colour) - ISO 29183, A4, Simplex (Flatbed) Approx. 75 ipm (Black / Colour) - ISO 24735, A4, Simplex (ADF 1:1) Approx. 75 ipm (Black / Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	3.7 sec / 60 ppm / 110 ppm (200 dpi; Mono / Colour)
Scan Resolution	600 x 1,200 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 160 Watt Standby: 77 Watt Sleep: 1.4 Watt
Connectivity	USB 3.0, Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Google Cloud Print, Mopria Print Service
Consumable	Up to 100,000 pages* for black ink pack

BUSINESS INKJET PRINTER


WORKFORCE PRO WF-C21000



Print Tech	PrecisionCore™ Linehead Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 100 ipm / 100 ipm (Black / Colour) – ISO 24734, A4, Simplex / Duplex Approx. 54 ipm / 36.3 ipm (Black / Colour) – ISO 24734.2, A3, Simplex / Duplex Approx. 5.0 sec / 5.0 sec (Black / Colour) – First Page Out Time
Copy Speed	Approx. 100 ipm (Black / Colour) – ISO 29183, A4, Simplex (Flatbed) Approx. 100 ipm (Black / Colour) – ISO 24735, A4, Simplex (ADF 1:1) Approx. 100 ipm (Black / Colour) – ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	3.7 sec / 60 ppm / 110 ppm (200 dpi; Mono / Colour)
Scan Resolution	600 x 1,200 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 170 Watt Standby: 77 Watt Sleep: 1.4 Watt
Connectivity	USB 3.0, Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Google Cloud Print, Mopria Print Service
Consumable	Up to 100,000 pages* for black ink pack

Monochrome Multifunction Printer A3

WORKFORCE PRO WF-M21000



Print Tech	PrecisionCore™ Linehead Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 100 ipm / 100 ipm (Black) – ISO 24734, A4, Simplex / Duplex Approx. 54 ipm / 36.3 ipm (Black) – ISO 24734.2, A3, Simplex / Duplex Approx. 5.0 sec / 5.0 sec (Black) – First Page Out Time
Copy Speed	Approx. 100 ipm / 100 ipm (black) – ISO 29183, A4, Simplex (Flatbed) Approx. 100 ipm / 100 ipm (black) – ISO 24735, A4, Simplex (ADF, 1:1)
Scan Speed	3.7 sec / 60 ppm / 110 ppm (200 dpi; Mono / Colour)
Scan Resolution	600 x 600 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 180 Watt Standby: 77 Watt Sleep: 1.4 Watt
Connectivity	USB 3.0, Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Google Cloud Print, Mopria Print Service
Consumable	Up to 100,000 pages* for black ink pack

BUSINESS INKJET PRINTER

T
T-Series

Surecolor Technical Series

SURECOLOR SC-T3730E



Max Print Width	24 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Spindle-less front loading single roll (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 21 sec 600dpi x 600dpi Line Draw: 27 sec Poster A1 : Plain Paper 300dpi x 600dpi EPSON Vivid : 21 sec
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 75 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1365x499x975 mm
Weight	118 kg
Adobe Postscript 3	N/A

SURECOLOR SC-T3730DE



Max Print Width	24 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 21 sec 600dpi x 600dpi Line Draw: 27 sec Poster A1 : Plain Paper 300dpi x 600dpi EPSON Vivid : 21 sec
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 75 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1365x499x975 mm
Weight	118 kg
Adobe Postscript 3	N/A

BUSINESS INKJET PRINTER

SURECOLOR SC-T3730D



Max Print Width	24 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 21 sec 600dpi x 600dpi Line Draw: 27 sec Poster A1 : Plain Paper 300dpi x 600dpi EPSON Vivid : 21 sec Up to 1.5mm
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 75 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1365x499x975 mm
Weight	118 kg
Adobe Postscript 3	Available

SURECOLOR SC-T5730D



Max Print Width	36 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 23 sec AO Size: 300dpi x 600dpi Line Draw : 28 sec Poster: Plain Paper 300dpi x 600dpi EPSON Vivid : 32 sec Up to 1.5mm
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 80 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1645x499x975 mm
Weight	136.8 kg
Adobe Postscript 3	Available

BUSINESS INKJET PRINTER

T Series

Surecolor Technical Series

SURECOLOR SC-T5730DM



Max Print Width	36 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 23 sec AO Size:300dpi x 600dpi Line Draw : 28 sec Poster: Plain Paper 300dpi x 600dpi EPSON Vivid : 32 sec
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 80 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1645x499x975 mm
Weight	136.8 kg
Adobe Postscript 3	Available

SURECOLOR SC-T7730D



Max Print Width	44 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 23 sec AO Size:300dpi x 600dpi Line Draw : 28 sec Poster: Plain Paper 300dpi x 600dpi EPSON Vivid : 32 sec BO Size: Plain Paper 300dpi x 600dpi EPSON Vivid : 46 sec"
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 70 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1848x499x975 mm
Weight	155 kg
Adobe Postscript 3	Available

BUSINESS INKJET PRINTER

SURECOLOR SC-T7730DM



Max Print Width	44 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 23 sec AO Size: 300dpi x 600dpi Line Draw : 28 sec Poster: Plain Paper 300dpi x 600dpi EPSON Vivid : 32 sec B0 Size: Plain Paper 300dpi x 600dpi EPSON Vivid : 46 sec"
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)"
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 70 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1848x499x975 mm
Weight	155 kg
Adobe Postscript 3	Available

SURECOLOR SC-T7730DL



Max Print Width	44 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	1000 ml
Paper Size	Two automatic roll switch (top-and front loading), (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 23 sec AO Size: 300dpi x 600dpi Line Draw : 28 sec Poster: Plain Paper 300dpi x 600dpi EPSON Vivid : 32 sec B0 Size: Plain Paper 300dpi x 600dpi EPSON Vivid : 46 sec"
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)"
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 70 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1848x499x975 mm
Weight	155 kg
Adobe Postscript 3	Available

BUSINESS INKJET PRINTER

T T-Series

Surecolor Technical Series

SURECOLOR SC-T3130



Versatile
Media Handling



Printhead



Up to
1.5mm Thick



Up to 24"
Wide*



Max Print Width	24 inch wide (610 mm)
Print Head	PrecisionCore TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0 pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K 50/80 ml
Print Speed (A1 sheet)	CAD A1: 34 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610 mm wide, 110 mm max diameter, 3kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	28W Operating, 8W Standby, 1.6W Sleep
Dimensions (W x D x H)	970 x 505 x 230
Weight	38 kg

SURECOLOR SC-T3130N



Versatile
Media Handling



Printhead



Up to
1.5mm Thick




Up to 24"
Wide*



Max Print Width	24 inch wide (610 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K50/80 ml
Print Speed (A1 sheet)	CAD A1:34 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610mm wide, 110 mm max diameter, 3 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	28W Operating, 8W Standby, 1.6 W Sleep
Dimensions (W x D x H)	970 x 505 x 230 cm
Weight	27 kg


BUSINESS INKJET PRINTER

SURECOLOR SC-T3130X



Max Print Width	24 inch wide (610 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.8pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	140 ml
Print Speed	CAD A1:34 sec
[A1 sheet]	
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610mm wide, 110 mm max diameter, 3 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	28W Operating, 8W Standby, 1.6 W Sleep
Dimensions [W x D x H]	970 x 577 x 245 cm
Weight	29 kg

SURECOLOR SC-T3130M




Max Print Width	24 inch wide (610 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K 50/80 ml
Scan Technology	Contact Image Sensor (CIS) with RGB filters
Light Source	Dual Low Angle / RGB LED
Feed System	Sheet pass-through
Max Resolution	600 dpi
Max Scan Speed	11.43 cm/s or 4.5 ips (Colour) 19.05 cm/s or 7.5 ips (Mono)
Max Copy Speed	38 sec per A1 sheet mono 44 sec per A1 sheet colour
Print Speed [A1 sheet]	CAD A1:34 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610mm wide, 110 mm max diameter, 3 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB+8GB*For scanner data processing
Power Consumption	24W Operating, 11W Standby, 2.0 W Sleep
Dimensions [W x D x H]	970 x 292 x 230
Weight	44.4 kg

BUSINESS INKJET PRINTER


T-Series Surecolor Technical Series

SURECOLOR SC-T3270



Max Print Width	24 inch wide (borderless)
Print Head	PrecisionCore TFP with VSDT and Auto Head Alignment
Max Resolution	2880 dpi x 1440 dpi
Min Droplet Size	3.5pl
Ink System	Epson Ultrachrome® XD
Type	All-Pigment Aqueous
Colours	C+Y+M+Mk / Pk (Black Matte / Photo Black)
Cartridge Size	110 / 350 / 700 ml
Print Speed	Production POS: 28 sec (360 x 720 dpi) Quality POS: 66 sec (720 x 720 dpi) Production CAD: 30 sec (360 x 720 dpi) Quality CAD: 60 sec (720x1440 dpi)
Paper Size	Spindle-less front loading single roll, 2" or 3" core, 0.08-0.5 mm thick, 254-610 mm wide, 150 mm max diameter with Media Barcode System & auto tension control
Interface	USB 2.0 & Ethernet
OS Compatibility	10Base-T / 100Base-TX / 1000Base-T Windows XP / Vista / 7 / 8 (32 / 64bit), Mac OSx10.5 or later, Win server 2003 & 2008 Standard / Standard 64bit
Memory	1 GB, Optional 320 GB HDD
Power Requirement	52W Operating, 16W Ready, 3W Sleep
Dimensions (W x D x H)	1120 x 248 x 760 mm
Weight	approx. 54 kg


SURECOLOR SC-T3430



Max Print Width	24 inch wide (610 mm)
Print Head	PrecisionCore TFP with VSDT and Auto Head Alignment
Max Resolution	2,400 dpi x 1,200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome® XD2
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMYK 110/350 ml
Print Speed (A1 Sheet)	CAD A1: 25 sec
Paper Size	Single roll top loaded spindle, 2" core, 3" core for plain paper, 0.08 to 0.3 mm thick, 254-610 mm wide, 170 mm max diameter, max weight 12kg
Interface	USB 3.0 & Ethernet 10Base-T / 100Base-TX / 1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OS x 10.6.8 or later
Memory	1 GB
Power Consumption	34W Operating, 13W Standby, 1.3W Sleep
Dimensions (W x D x H)	1,080 x 668 x 585 mm
Weight	64kg


BUSINESS INKJET PRINTER

SURECOLOR SC-T3435



- Max Print Width 24 inch wide (610 mm)
- Print Head Precision Core TFP with VSDT and Auto Head Alignment
- Max Resolution 2400 dpi x 1200 dpi
- Min Droplet Size 4.0pl
- Ink System Epson Ultrachrome XD2 Pigment Ink
- Type All-Pigment Aqueous
- Colours C+M+Y+K
- Cartridge Size CMYK, 100 ml/350 ml/700 ml
- Scan Integration Available connect with Business Inkjet Printer Scanner : WF-C17590, WF-C20590, WF-C20600, WF-C20750, WF-C21000, WF-M20590, WF-R8591, WF-C869R, WF-C878R, WF-C879R,
- Print Speed (A1 sheet) CAD A1:25 sec
- Paper Size Single roll top loaded spindle, 2/3" core, 0.08-0.3 mm thick, 254-610mm wide, 170 mm max diameter, 8 kg max weight
- Interface USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
- OS Compatibility Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
- Memory 1 GB
- Power Consumption 34W Operating, 13W Standby, 1.3 Sleep
- Dimensions (W x D x H) 1080 x 1060 x 750 cm (with stand)
- Weight 64 kg

SURECOLOR SC-T5130



- Max Print Width 36 inch wide (914 mm)
- Print Head PrecisionCore TFP with VSDT and Auto Head Alignment
- Max Resolution 2,400 dpi x 1,200 dpi
- Min Droplet Size 4.0pl
- Ink System Epson Ultrachrome® XD2
- Type All-Pigment Aqueous
- Colours C+M+Y+K
- Cartridge Size CMY 26/50 ml, K 50/80 ml
- Print Speed (A3 Sheet) CAD A3: 31 sec
- Paper Size Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-910 mm wide, 110 mm max diameter, 5kg max weight
- Interface USB 3.0 & Ethernet 10Base-T / 100Base-TX / 1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
- OS Compatibility Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OS x 10.6.8 or later
- Memory 1 GB
- Power Consumption 28W Operating, 8W Standby, 1.6W Sleep
- Dimensions (W x D x H) 1,268 x 913 x 696 mm
- Weight 46 kg

EPSON


BE
cool



**PRODUCE BIG,
ACCURATE PRINTS
WITH A SMALLER IMPACT.**


BUSINESS INKJET PRINTER

SURECOLOR SC-T5130M



Max Print Width 36 inch wide (914 mm)
Print Head Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution 2400 dpi x 1200 dpi
Min Droplet Size 4.0pl
Ink System Epson Ultrachrome XD2 Pigment Ink
Type All-Pigment Aqueous
Colours C+M+Y+K
Cartridge Size CMY 26/50 ml, K 50/80 ml
Scan Technology Contact Image Sensor (CIS) with RGB filters
Light Source Dual Low Angle / RGB LED
Feed System Sheet pass-through
Max Resolution 600 dpi
Max Scan Speed 11.43 cm/s or 4.5 ips (Colour)
 19.05 cm/s or 7.5 ips (Mono)
Max Copy Speed 38 sec per A1 sheet mono
 44 sec per A1 sheet colour
Print Speed (A1 sheet) CAD A1:31 sec
Paper Size Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 297-914mm wide, 110 mm max diameter, 3 kg max weight
Interface USB 3.0 & Ethernet
 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory 1 GB+8GB*For scanner data processing
Power Consumption 26W Operating, 12W Standby, 2.0 Sleep
Dimensions (W x D x H) 1268 x 975 x 696 cm (with stand)
Weight 54.8 kg

SURECOLOR SC-T5270/T5270D



SC-T5270 Single Roll
SC-T5270D Dual Roll



Max Print Width 36 inch wide (914 mm)
Print Head PrecisionCore TFP with VSDT and Auto Head Alignment
Max Resolution 2,880 dpi x 1,440 dpi
Min Droplet Size 3.5pl
Ink System Epson Ultrachrome® XD
Type All-Pigment Aqueous
Colours C+Y+M+Mk/Pk (Black Matte/Photo Black)
Cartridge Size 110/350/700 ml
Paper Size Spindle-less front-loading single roll, 2" or 3" core, 0.08-0.5 mm thick, 254-914 mm wide, 150 mm max diameter with Media Barcode System & auto tension control
Print Speed Production Post: 28 sec (360 dpi x 720 dpi a1 sheet)
 50 sec (360 x 720 dpi, A0 sheet)
 Quality Post: 66 sec (720 x 720 dpi, A1 sheet)
 Production CAD: 30 sec (360 x 720 dpi, A1 sheet)
 54 sec (360 x 720 dpi, A0 sheet)
 Quality CAD: 60 sec (720x1440 dpi, A1 sheet)
Media Thickness **SC-T5270**
 Single top-loading rollfeed, Manual top-loading sheet fed, Manual front-loading thick board feed Rolls (0.08mm-0.5mm thickness; max roll diameter 150mm) = 254 - 914mm width
 Sheets (0.08mm - 0.8mm thickness) = 210 - 914mm
 Thickness board = 0.8 - 1.5mm
SC-T5270D
 Two automatic roll feeds (top-and front loading), Manual top-loading sheet fed, Manual front-loading thick board feed Rolls (0.08mm-0.5mm thickness; max roll diameter 150mm) = 254 - 914 mm width, Sheets (0.08mm - 0.8mm thickness) = 210 - 914 mm, Thickness board = 0.8 - 1.5mm
Scan Performance (MFP Configurations Only) Max Scan Speed 3.3 inch/sec greyscale / 8.4 inch/sec colour.
 Scan/Copy up to 600 dpi
Interface USB 2.0 & Ethernet 10Base-T / 100Base-TX / 1000Base-T
OS Compatibility Windows XP / Vista / 7 / 8 (32/64bit), Mac OS x 10.5 or later, Win server 2003 & 2008 Standard/ Standard 64bit
Memory 1 GB, Optional 320 GB HDD
Power Requirement 61W Operating, 17W Ready, 3W Sleep
Dimensions (W x D x H) 1405 x 1128 x 1070 mm (SC-T5270),
 1539 x 1321 x 1074 mm (SC-T5270D)
Weight 84 kg (SC-T5270), 118 kg (SC-T5270D),

BUSINESS INKJET PRINTER

T-Series

Surecolor Technical Series

SURECOLOR SC-T5430



Versatile
Media Handling



Printhead



Up to
1.5mm
Thick



Up to 36"
Wide*



Max Print Width	36 inch wide (914 mm)
Print Head	PrecisionCore TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0 pl
Ink System	Epson Ultrachrome® XD2
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMYK 110/350ml
Print Speed (A1 Sheet)	CAD A1: 22 sec
Paper Size	Single roll top loaded spindle, 2" core, 3" core for plain paper, 0.08 to 0.3 mm thick, 254-914 mm wide, 170 mm max diameter, max weight 12kg
Interface	USB 3.0 & Ethernet 10Base-T / 100Base-TX / 1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OS x 10.6.8 or later
Memory	1 GB
Power Consumption	38W Operating, 13W Standby, 1.3W Sleep
Dimensions (W x D x H)	1,385 x 750 x 1,060 mm
Weight	76 kg

SURECOLOR SC-T5435



Versatile
Media Handling



Printhead



Up to
1.5mm
Thick




Up to 36"
Wide*



Max Print Width	36 inch wide (914 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMYK, 100 ml/350 ml/700 ml
Scan Integration	Available connect with Business Inkjet Printer Scanner :
	WF-C17590, WF-C20590, WF-C20600, WF-C20750, WF-C21000, WF-M20590
	WF-R8591, WF-C869R, WF-C878R, WF-C879R,
Print Speed (A1 sheet)	CAD A1:22 sec
Paper Size	Single roll top loaded spindle, 2/3" core, 0.08-0.3 mm thick, 254-914mm wide, 170 mm max diameter, 12 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	38W Operating, 13W Standby, 1.3 Sleep
Dimensions (W x D x H)	1385 x 1070 x 750 cm (with stand)
Weight	76 kg


BUSINESS INKJET PRINTER

SURECOLOR SC-T5430M



- Max Print Width Print Head 36 inch wide (914 mm) PrecisionCore TFP with VSDT and Auto Head Alignment
- Max Resolution 2400 dpi x 1200 dpi
- Min Droplet Size 4.0 pl
- Ink System Epson Ultrachrome® XD2
- Type All-Pigment Aqueous
- Colours C+M+Y+K
- Cartridge Size CMYK 110/350ml
- Scan Technology Contact Image Sensor (CIS) with RGB filters
- Light Source Dual Low Angle
- Feed System Sheet pass-through
- Max Resolution 600 dpi
- Max Scan Speed 11.43 cm/s or 4.5 ips (Colour)
19.05 cm/s or 7.5 ips (Mono)
- Max Copy Speed 38 sec per A1 sheet mono
44 sec per A1 sheet colour
- Print Speed (A1 Sheet) CAD A1 : 22 sec
- Paper Size Single roll top loaded spindle, 2" core, 3" core for plain paper, 0.08 to 0.3 mm thick, 254-914 mm wide, 170 mm max diameter, max weight 12kg
- Interface USB 3.0 & Ethernet 10Base-T / 100Base-TX / 1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
- OS Compatibility Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OS x 10.6.8 or later
- Memory 1 GB
- Power Consumption Operating 38W, Standby 13W, Sleep 1.6W
- Dimensions (W x D x H) 1,385 x 966 x 1,060 mm
- Weight 89 kg

SURECOLOR SC-T7270/T7270D



SC-T7270 Single Roll
SC-T7270D Dual Roll



- Max Print Width Print Head 44 inch wide (borderless) PrecisionCore TFP with VSDT and Auto Head Alignment
- Max Resolution 2,880 dpi x 1,440 dpi
- Min Droplet Size 3.5 pl
- Ink System Epson Ultrachrome® XD
- Type All-Pigment Aqueous
- Colours C+Y+M+Mk (Matte Black/Photo Black)
- Cartridge Size 110 / 350 / 700 ml
- Print Speed Production Post: 28 sec (360 dpi x 720 dpi, A1 sheet)
- Media Thickness **SC-T7270** Single top-leading rollfeed, Manual top-loading sheet fed Manual front-loading thick board feed, Rolls (0.08mm-0.5mm thickness; max roll diameter 150mm) = 254 - 1118mm width, Sheets (0.08mm - 0.8mm thickness) = 210 - 1118 mm, Thickness board = 0.8 - 1.5mm
SC-T7270D Two automatic roll feeds (top-and front loading), Manual top-loading sheet fed, Manual front-loading thick board feed Rolls (0.08mm-0.5mm thickness; max roll diameter 150mm) = 254 - 1118 mm width, Sheets (0.08mm - 0.8mm thickness) = 210 - 1118 mm, Thickness board = 0.8 - 1.5mm
- Scan Performance (MFP Configurations Only) Max Scan Speed: 146 mm/s @ 200 dpi colour/greyscale
77 mm/s @ 300 dpi colour/greyscale
57 mm/s @ 360 dpi colour/greyscale
15 mm/s @ 600 dpi colour/greyscale
- Interface USB 2.0 & Ethernet 10Base-T/100Base-TX / 1000Base-T
- Memory 1 GB, Optional 320 GB HDD
- Power Consumption 65W Operating, 17W Ready, 3W Sleep
- Dimensions (W x D x H) 1608 x 1128 x 1070 mm [SC-T7270]
1742 x 1321 x 1074 mm [SC-T7270D]
- Weight 92kg [SC-T7270], 133 kg [SC-T7270D]

BUSINESS INKJET PRINTER

Business Inkjet Printer Consumable

MATERIAL CODE DESCRIPTION



WF-C5390 & WF-C5890
 C13T11F100 STANDARD CAPACITY BLACK INK PACK
 C13T11F200 STANDARD CAPACITY CYAN INK PACK
 C13T11F300 STANDARD CAPACITY MAGENTA INK PACK
 C13T11F400 STANDARD CAPACITY YELLOW INK PACK
 C13T11H100 HIGH CAPACITY BLACK INK PACK



WF-C579R
 C13T01C100 WF-C579R BK / Standard
 C13T01C200 WF-C579R C / Standard
 C13T01C300 WF-C579R M / Standard
 C13T01C400 WF-C579R Y / Standard
 C13T01D100 WF-C579R BK / Large
 C13T01D200 WF-C579R C / Large
 C13T01D300 WF-C579R M / Large
 C13T01D400 WF-C579R Y / Large



L6550/L6580/L15160/L15180/M15180
 C13T06G199 008 CAHILL/CAVANI, BLACK 127ML (EIN)
 C13T06G299 008 CAHILL/CAVANI, CYAN 70ML (EIN)
 C13T06G399 008 CAHILL/CAVANI, MAGENTA 70ML (EIN)
 C13T06G499 008 CAHILL/CAVANI, YELLOW 70ML (EIN)



WF-C878R & WF-C879R
 C13T05A100 WF-C878R/C879R INK PACK, BLACK/STD
 C13T05A200 WF-C878R/C879R INK PACK, CYAN/STD
 C13T05A300 WF-C878R/C879R INK PACK, MAGENTA/STD
 C13T05A400 WF-C878R/C879R INK PACK, YELLOW/STD
 C13T05B100 WF-C878R/C879R INK PACK, BLACK/LARGE
 C13T05B200 WF-C878R/C879R INK PACK, CYAN/LARGE
 C13T05B300 WF-C878R/C879R INK PACK, MAGENTA/LARGE
 C13T05B400 WF-C878R/C879R INK PACK, YELLOW/LARGE



AM-C4000
 C13T08F100 INK CARTRIDGE, BLACK
 C13T08F200 INK CARTRIDGE, CYAN
 C13T08F300 INK CARTRIDGE, MAGENTA
 C13T08F400 INK CARTRIDGE, YELLOW

AM-C5000/6000
 C14T08E100 INK CARTRIDGE, BLACK
 C14T08E200 INK CARTRIDGE, CYAN
 C14T08E300 INK CARTRIDGE, MAGENTA
 C14T08E400 INK CARTRIDGE, YELLOW



WF-C20750
 C13T02S100 INK CARTRIDGE, BK, 75PPM
 C13T02S200 INK CARTRIDGE, C, 75PPM
 C13T02S300 INK CARTRIDGE, M, 75PPM
 C13T02S400 INK CARTRIDGE, Y, 75PPM

WF-C21000
 C13T02Y100 INK CARTRIDGE, BK, 100PPM
 C13T02Y200 INK CARTRIDGE, C, 100PPM
 C13T02Y300 INK CARTRIDGE, M, 100PPM
 C13T02Y400 INK CARTRIDGE, Y, 100PPM



WF-M21000
 C13T04Q100 BLACK INK, MONO LIJ

BUSINESS INKJET PRINTER

Business Inkjet Printer Consumable

MATERIAL CODE DESCRIPTION



T5430/T3430
 C13T41D200 CYAN 350ML
 C13T41D300 MAGENTA 350ML
 C13T41D400 YELLOW 350ML
 C13T41D500 BLACK 350ML
 C13T41Q200 CYAN 110ML
 C13T41Q300 MAGENTA 110ML
 C13T41Q400 YELLOW 110ML
 C13T41Q500 BLACK 110ML



C-T3130/SC-T3130N/SC-T5130/ SC-T3130M/SC-T5130M
 C13T40A100 BLACK INK CARTRIDGE 50ML
 C13T40A200 CYAN INK CARTRIDGE 26ML
 C13T40A300 MAGENTA INK CARTRIDGE 26ML
 C13T40A400 YELLOW INK CARTRIDGE 26ML
 C13T40B100 BLACK INK CARTRIDGE 80ML
 C13T40B200 CYAN INK CARTRIDGE 50ML
 C13T40B300 MAGENTA INK CARTRIDGE 50ML
 C13T40B400 YELLOW INK CARTRIDGE 50ML



T3130X
 C13T49K100 BLACK 140ML
 C13T49K200 CYAN 140ML
 C13T49K300 MAGENTA 140ML
 C13T49K400 YELLOW 140ML



T3270/T5270/T7270
 C13T692100 PHOTOBLACK 110ML
 C13T692200 CYAN 110ML
 C13T692300 MAGENTA 110ML
 C13T692400 YELLOW 110ML
 C13T692500 MATTE BLACK 110ML
 C13T693100 PHOTOBLACK 350ML
 C13T693200 CYAN 350ML
 C13T693300 MAGENTA 350ML
 C13T693400 YELLOW 350ML
 C13T693500 MATTE BLACK 350ML
 C13T694100 PHOTOBLACK 700ML
 C13T694200 CYAN 700ML
 C13T694300 MAGENTA 700ML
 C13T694400 YELLOW 700ML
 C13T694500 MATTE BLACK 700ML



SC-T3435/SC-T5435
 C13T41Q500 BLACK INK CARTRIDGE 110ML
 C13T41Q200 CYAN INK CARTRIDGE 110ML
 C13T41Q300 MAGENTA INK CARTRIDGE 110ML
 C13T41Q400 YELLOW INK CARTRIDGE 110ML
 C13T41D500 BLACK INK CARTRIDGE 350ML
 C13T41D200 CYAN INK CARTRIDGE 350ML
 C13T41D300 MAGENTA INK CARTRIDGE 350ML
 C13T41D400 YELLOW INK CARTRIDGE 350ML
 C13T41C500 BLACK INK CARTRIDGE 700ML
 C13T41C200 CYAN INK CARTRIDGE 700ML
 C13T41C300 MAGENTA INK CARTRIDGE 700ML
 C13T41C400 YELLOW INK CARTRIDGE 700ML



SC-T3730/5730/7730/D
 C13T51F200 CYAN IC (110 ML)
 C13T51F800 MATTE BLACK IC (110ML)
 C13T51F300 MAGENTA IC (110ML)
 C13T51F100 PHOTOBLACK IC (110ML)
 C13T51FF00 RED IC (110ML)
 C13T51F400 YELLOW IC (110ML)
 C13T50Y200 CYAN IC (350ML)
 C13T50Y800 MATTEBLACK IC (350ML)
 C13T50Y300 MAGENTA IC (350ML)
 C13T50Y100 INK PHOTOBLACK IC (350ML)
 C13T50YF00 RED IC (350ML)
 C13T50Y400 YELLOW IC (350ML)
 C13T50R200 CYAN IC (700ML)
 C13T50R800 MATTEBLACK IC (700ML)
 C13T50R300 MAGENTA IC (700ML)
 C13T50R100 PHOTOBLACK IC (700ML)
 C13T50RF00 RED IC (700ML)
 C13T50R400 YELLOW IC (700ML)

