

COMMERCIAL & INDUSTRIAL PRINTER



COMMERCIAL & INDUSTRIAL PRINTER

MENGAPA MEMILIH EPSON PRINTER ?

Epson large format printer memastikan hasil warna yang luar biasa sehingga menjadi pilihan yang tepat untuk mendukung berbagai bisnis Anda mulai dari Advertising, fashion, retail dan photography.


Print head Epson Micro Piezo™

Print head Epson Micro Piezo™ Thin Film Piezo yang khusus dikembangkan untuk printer Large Format Epson, memiliki performa dan daya tahan tinggi dengan 360 micro-fine nozzles untuk setiap warnanya, memberikan bentuk dot (titik) yang sempurna. Teknologi ini menggunakan Variable-Sized Droplet Technology (VSDT) untuk memproduksi butiran tinta dalam berbagai ukuran sampai sekecil 3.5 pico-litres (pl) yang mampu menghemat waktu mencetak dan mengoptimalkan kualitas. Print head juga dilengkapi dengan Ink-Repelling Coating, lapisan pada permukaan print head untuk mengurangi kemungkinan terjadinya penyumbatan pada tinta. Teknologi printhead yang berupa lapisan tipis unik piezo (TFP) yang memadukan teknologi komponen superior dengan teknologi fabrikasi Micro-Electro-Mechanical-System (MEMS) yang berpresisi tinggi. Hasilnya adalah kecepatan cetak dan mutu gambar yang tinggi untuk pemakaian di berbagai kegiatan usaha dan industri.



Epson LUT (Look Up Table) Technology

Dengan teknologi Epson LUT, hasil cetak printer format besar Epson menampilkan gradasi halus, butiran tampak berkurang dan warna tidak dapat berubah, menjadikan hasil cetak indah dan gambar berdefinisi tinggi.



COMMERCIAL & INDUSTRIAL PRINTER

P SurePress Label Printers

SUREPRESS SP-L6534VW



Print Technology	PrecisionCore linehead inkjet technology
Max Print Resolution	600 x 1200 dpi
Substrate Width	80mm to 340mm
Substrate Type	Adhesive Paper, Adhesive Film, Single Layer Paper, Single Layer Film
Substrate Thickness	80 to 320 microns
Substrate Treatment	Corona Treatment, Static Ionizer, UV Curing Lamp
Unwinder Capacity	600mm dia / 100kg weight / 1,000m length
Ink Type	UV Curable Inks
Ink Cartridges	Black, Cyan, Magenta, Yellow, Digital Varnish, White, Storage liquid
Print Speed	Productivity Mode: 50m/min, Standard Mode: 30m/min, High Density Mode: 15m/min, Reverse White Mode: 7.6m/min
Dimensions	4250 (W) x 2290 (D) x 2520 (H) mm
Weight	2640 kg

Available with Orange Ink

SUREPRESS SP-L4733AW



Model No	SurePress L 4733AW
Printing Technology	Epson MicroPiezo inkjet technology
Ink Type	SurePress AQ Ink T4 (SurePress AQ)
Ink cartridge	Black, Uncoated Black, Cyan, Magenta, Yellow, Orange, Green, Over print liquid, Moisture liquid (AW model only: White, Storage liquid)
Image size	315.2mm x 914.4mm
Print speed	Up to 8.2 meter per minute *
Substrate thickness	80 to 320 µm
Substrate width	80 to 334mm Adjustable to support any width in this range
Substrate support	Standard self adhesive label substrate, Semi gloss, gloss and matte paper stock, BOPP, PET, Yupo and pre laminated film
Unwinder capacity (Max.)	100kg weight / 1,000m length, 600mm diameter with 76mm (3") inner core
Dimensions of Press (WxDxH)	3950 x 1,910mm x 2,020mm
Dimensions of Press and Rewinder (WxDxH)	5100 x 1,910mm x 2,020mm
Weight of Press	Approximately 1870kg(TBD) including rewriter
Weight of Rewinder	Approximately 180kg
Network connectivity	Ethernet 1000 base T or higher is recommended
Power requirements	Input voltage range: Rated voltage 10% (180 220V) Rated voltage: AC (3 phases 3 lines) 200V
Temperature (Operating)	18 - 28 derajat celcius
Relative Humidity (Operating)	35 - 55% (no condensation)
Max. sound level (Operating)	75dB or less (excluding the alarm sound)


GO BIG



ON THE DETAILS.

COMMERCIAL & INDUSTRIAL PRINTER

B Series Surecolor Bulk Series

SURECOLOR
SC-B6070

Max Print Width Print Head	1118 mm [44"] MicroPiezo TFP® Print Head with Variable-Sized Droplet Technology
Max Resolution	720 dpi x 1440 dpi
Min Droplet Size	3.8pl
Ink System	Dye Ink
Colours	Cyan, Magenta, Yellow, Black
Print Speed	Tank: 1500 ml Pack: 1000 ml High Speed / Resolution: 360 x 720 dpi / Passes: 2 = 30.6 m ² /h Production 1 / Resolution: 720 x 720 dpi / Passes: 3 = 22.6 m ² /h Production 2 / Resolution: 720 x 1440 dpi / Passes: 4 = 15.8 m ² /h High Quality / Resolution: 720 x 1440 dpi / Passes: 7/8 = 6.2 m ² /h
Paper Size	Maximum Paper Width: 1118 mm [44"] Minimum Cut-sheet Size: 254 mm [10.0"]
Interface	Hi-Speed USB 2.0, Ethernet 100BASE-TX / 1000 BASE-T
OS Compatibility	Windows Vista / 7 / 8 / 8.1 / 10 [64bit] or later, Mac OS 10.6 or later
Memory	512 MB Network: 128 MB
Power Consumption	Operating: Approx. 65W Standby: Approx. 20W Sleep: Approx. 3W (Interface is 1000BASE-T) Power Off: Less Than 0.4W

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR
SC-B9070

Max Print Width Print Head	max. 1,616 mm Dual PrecisionCore™ TFP® Printhead
Max Resolution	2880 dpi x 1440 dpi
Min Droplet Size	4.1pl
Ink System	New Formula Dye Ink
Colours	Epson Dye Ink Cyan, Magenta, Yellow, Black
Print Speed	Pouch: 1,000 ml; CISS Tank: 1,500 ml Draft - 1 Pass: Up to 100 m ² /h [360 x 720 dpi] Speed - 4 Pass: Up to 31 m ² /h [720 x 720 dpi] Production - 6 Pass: Up to 20.5 m ² /h [720 x 1440 dpi] Quality - 8 Pass: Up to 15.3 m ² /h [720 x 1440 dpi] High Quality - 12 Pass: Up to 8.6 m ² /h [2880 x 1440 dpi] Max Quality - 16 Pass: Up to 6.7 m ² /h [2880 x 1440 dpi] Max Quality - 24 Pass: Up to 4.8 m ² /h [2880 x 1440 dpi] [Backlit Film]
Paper Size	Media Width: 300 to 1,626 mm [64 inch] Media Thickness: Up to 1 mm
Interface	Hi-Speed USB 2.0, Ethernet 100BASE-TX / 1000BASE-T
OS Compatibility	Windows Vista / 7 / 8 / 8.1 / 10 [64bit] or later
Memory	512 MB Main + 128 MB Network
Power Consumption	Operating: Approx. 440 W (=75 W + 360 W) Ready: Approx. 320 W (=34 W + 280 W) Sleep: Approx. 14 W (=13 W + 0.5 W) Power off: Approx. 1.1 W (=0.6 W + 0.5 W)

SURECOLOR
SC-B7070

Max Print Width Print Head	1625.6 mm [64"] MicroPiezo TFP® Print Head with Variable-Sized Droplet Technology
Max Resolution	720 dpi x 1440 dpi
Min Droplet Size	5.2pl
Ink System	Dye Ink
Colours	Cyan, Magenta, Yellow, Black
Print Speed	Tank: 1500 ml Pack: 1000 ml High Speed / Resolution: 360 x 720 dpi / Passes: 2 = 30.6 m ² /h Production 1 / Resolution: 720 x 720 dpi / Passes: 3 = 22.6 m ² /h Production 2 / Resolution: 720 x 1440 dpi / Passes: 4 = 15.8 m ² /h High Quality / Resolution: 720 x 1440 dpi / Passes: 7/8 = 6.2 m ² /h
Paper Size	Maximum Paper Width: 1118 mm [44"] Minimum Cut-sheet Size: 254 mm [10.0"]
Interface	Hi-Speed USB 2.0, Ethernet 100BASE-TX / 1000 BASE-T
OS Compatibility	Windows Vista / 7 / 8 / 8.1 / 10 [64bit] or later, Mac OS 10.6 or later
Memory	512 MB Network: 128 MB
Power Consumption	Operating: Approx. 65W Standby: Approx. 20W Sleep: Approx. 3W (Interface is 1000BASE-T) Power Off: Less Than 0.4W

F Series Surecolor Fabric Series

SURECOLOR
SC-F2230

Max Print Width Print Head	Standard & Medium Grooved Platen: 356 x 406 mm PrecisionCore MicroTFP Printhead
Max Resolution	1200 dpi x 1200 dpi
Min Droplet Size	12.8 pl
Ink System	UltraChrome DG2 Ink
Colours	Cyan, Magenta, Yellow, Black, White
Cartridge Size	800ml
Print Speed	Cotton Garment Material Drying: 170°C, 45 seconds [For dark T-shirt] / Fixing: 170°C, 45 seconds [For dark T-shirt / light T-shirt] Polyester Garment Material (For dark T-shirt) Drying: 130°C, 60 seconds / Fixing: 130°C, 90 seconds Polyester Garment Material (For light T-shirt) Drying: 130°C, 60 seconds / Fixing: 130°C, 30 seconds
Interface	Hi-Speed USB 2.0 x 2 [For PC x1, for USB flash memory x 1], 1000 Base-T
OS Compatibility	Windows & Mac Compatible
Memory	1GB
Power Consumption	Operating: Approx. 46W, Ready: Approx. 30W, Sleep: Approx. 7.0W, Standby: Approx. 0.3W
Dimension	981 W x 499 H x 1,361 mm D
Weight	94.5 kg

COMMERCIAL & INDUSTRIAL PRINTER

F Surecolor Fabric Series

SURECOLOR SC-F3030



Max Print Width 406 x 508 mm (using optional Large Platen)
 Print Head PrecisionCore Micro TFP print head x 2
 Max Resolution 1,200 x 1,200 dpi
 Min Droplet Size 12.1 pl
 Ink System Epson Ultrachrome® DG
 Colours CYMKWW
 Cartridge Size 1500ml
 Print Speed Fast 14s (Colour Only), 26s (White + Colour)
 Production: 21s (Colour Only), 40s (White + Colour)
 Quality: 36s (Colour Only), 47s (White + Colour)
 High Quality: 48s (Colour only), 70s (White + Colour)
 Interface Rear High Speed USB 2.0 & Ethernet 100Base/T1000
 Base- T/100 Base Front panel USB for file storage & Uploading (FAT32 format)
 OS Compatibility Windows & Mac Compatible.
 Memory 4GB
 Power Consumption 168 W Operating, 111W Ready, 20W Sleep



SURECOLOR SC-F530



Printer Width 24"
 Print Head PrecisionCore TFP Printhead
 Maximum Resolution 2400 x 1200 dpi
 Ink System Epson Genuine Dye-Sublimation Ink
 Colours Cyan, Magenta, Yellow, Black
 Print Speed Production (2 pass), For Fabric: Up to 62 sec / 21 m2 (600 x 1200 dpi), Production (7 pass): For Fabric & Rigid: Up to 208 sec / 7.5 m2 (1200 x 1200 dpi), Production (12 pass), For Fabric & Rigid: Up to 350 sec / 4.5 m2 (2400 x 1200 dpi)
 Interface USB 2.0 Hi-speed, Ethernet 100BASE-TX / 1000BASE-T
 OS Compatibility Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
 Memory 1 GB
 Power Consumption Operating: Approx. 22W, Ready: Approx. 8W
 Sleep: Approx. 1.6W, Power Off (Stand by): Approx. 0.2W
 Dimension Storage (W x H x D): 970 mm x 245 mm x 577 mm
 Printing (W x H x D): 970 mm x 245 mm x 811 mm
 Weight 29kg

SURECOLOR SC-F130



Paper Width A4, LTR, Legal
 Printhead PrecisionCore Micro TFP Printhead
 Max. Resolution 600 x 1,200 dpi
 Ink Type Dye Sublimation Transfer Ink
 Colours Cyan, Magenta, Yellow, Black
 Paper Path Friction Feed
 Print Speed 65 seconds (Default)
 Interfaces Hi-Speed USB *2, Ethernet (10BASE-T / 100BASE-TX), Wi-Fi (IEEE 802.11 b/g/n)
 Memory 132 Kbyte (Input Buffer Memory)
 Voltage AC 220 - 240V (withstand voltage AC 400V)
 W x D x H 375x503x187mm
 Frequency 50/60 Hz
 Power Consumption Operating: Approx. 13W
 Ready: Approx. 4.1W
 Sleep: Approx. 0.7W
 Weight Approx. 4.6 kg (without ink bottle)
 Warranty 1 Year/6000 sheets, Whichever comes first



SURECOLOR SC-F531



Max. Print Width 24 inch
 Printhead PrecisionCore TFP® Printhead
 Max. Resolution 2,400 x 1,200 dpi
 Min. Droplet Size 4.0pl
 Ink Type Epson Genuine Dye-SUblimat ion Ink
 Colours 4 Colours - Cyan, Flourescent Pink, Flourescent Yellow Black
 Cartridge Size Cyan, Magenta, Yellow: 26ml, 50ml ; Black: 50ml , 80ml
 Print Speed Production (2 pass), For Fabric: Up to 62 sec / 21 m2 (600 x 1200 dpi) ; Production (7 pass): For Fabric & Rigid: Up to 208 sec / 7.5 m2 (1200 x 1200 dpi)
 Production (12 pass), For Fabric & Rigid: Up to 350 sec / 4.5 m2 (2400 x 1200 dpi)
 Interface Super-Speed USB
 100BASE-TX / 1000BASE-T / IEEE802.11 b/g/n
 Memory 1 GB
 Power Consumption Ready: Approx. 8W; Sleep: Approx. 1.6 W
 Operating: Approx. 28W; Power Off: Approx 0.2W
 Dimensions 970 x 505 x 230 (WxDxH)
 Weight 29 kg (without ink cartridges)

COMMERCIAL & INDUSTRIAL PRINTER

F Surecolor Fabric Series

**SURECOLOR
SC-F7270**


Max Print Width	64 inches (1625.6mm)
Print Head	10 channel PrecisionCore™ TFP with VSdT
Max Resolution	720 dpi x 1440 dpi
Ink System	Epson Ultrachrome® DS
Type	Dye Sublimation
Colours	C+Y+M+Bk / C+Y+M+Hdk
Cartridge Size	4 x 1.5L
Print Speed	Normal Mode Draft: 58.9 m ² /hr 1 Pass 360 x 720dpi Normal Mode Fast Production: 30.3m ² /hr; 2 Pass 720 x 720 dpi; Normal Mode Production 1: 22.2m ² /hr 3 Pass 720 x 720dpi; HQ Mode Production 1: 13.8m ² /hr 4 Pass 720 x 720dpi
Paper Size	Thickness 0.08-1mm (75 gsm or greater) Width 300-1625.6 mm
Interface	High Speed USB 2.0 & Ethernet 100Base-T/ 1000Base-T
OS Compatibility	Windows 10 / 8.1 / 8 / 7 (32/64bit) or later (64bit required for Edge Print); Mac OS X 10.7 Lion or later
Memory	512 MB Main + 128MB Network
Power Consumption	460W Operating (heater on), 10W Sleep (heater off, 1000Base-T Interface)
Dimensions (W x D x H)	2620 x 1013 x 1314 mm (W x D x H)
Weight	274kg

COMMERCIAL & INDUSTRIAL PRINTER

**SURECOLOR
SC-F9430**


Max Print Width	64 inch (1625.6 mm)
Print Head	DUAL Epson PrecisionCore™ TFP
Max Resolution	720 dpi x 1440 dpi
Min Droplet Size	4 pl
Ink System	Epson Ultrachrome® DS
Type	Epson Sublimation
Colours	Dual CYMHD
Cartridge Size	8 / 10 x 1.5L Continuous Ink Supply System (CISS)
Refill	1.1L CYMHDk
Print Speed	4c Fast Fabric Production: 360 x 720 dpi (2 Pass) 60.1 m ² /hr 4c Standard Fabric Production : 720 x 720 dpi (3 Pass) 44.1 m ² /hr 4c HQ Standard Rigid Production : 720 x 720 dpi (6 Pass) 20.7 m ² /hr 6c Standard Fabric Production (F9430H only): 720 x 1440 dpi (6 Pass) 21.9m ² /hr 6c HQ Standard Rigid Production (F9430H only): 720 x 1440 dpi (12 Pass) 10.6m ² /hr
Paper Size	300 - 1626 mm wide x 250 mm diameter, 2"/ 3" core
Interface	High Speed USB 2.0 Ethernet 100Base-T / 1000Base-T
OS Compatibility	Windows 10, 8/8.1, 7 SP1 64bit or later
Memory	512 MB Main + 128 MB Network
Power Consumption	570W Operating / Standby 340W / 14W Sleep (1000BASE-T)

**SURECOLOR
SC-F6430/H**


Max Print Width	44 inch
Print Head	PrecisionCore MicroTFP Printhead
Max Resolution	600 x 1,200 dpi
Ink System	SC-F6430 UltraChrome DS Ink (Cyan, Magenta, Yellow, High Density Black) SC-F6430H UltraChrome DS 6 Ink (Cyan, Magenta, Yellow, High Density Black, Light Cyan, Light Magenta, Fluorescent Yellow, Fluorescent Pink, Orange, Violet)
Type	Dye Sublimation
Ink Capacity	4 x 1.5L Continuous Ink Supply System (CISS)
Refill	1.6 L
Paper Size	Thickness Up to 0.5 mm Width 254 mm to 1,118 mm (10" to 44")
Interface	Super Speed USB, 100BASE-TX/1000BASE-T
Memory	1 GB
Power Consumption	80W Operating, 36W Ready, 19W Sleep
Weight	SC-F6430 With Take Up Reel: Approx. 133 kg Without Take Up Reel: Approx. 120 kg SC-F6430H With Take Up Reel: Approx. 140 kg Without Take Up Reel: Approx. 127 kg


**SURECOLOR
SC-F9430H**


Max Print Width	64 inch (1625.6 mm)
Print Head	DUAL Epson PrecisionCore™ TFP
Max Resolution	720 dpi x 1440 dpi
Min Droplet Size	4 pl
Ink System	Epson Ultrachrome® DS6
Type	Epson Sublimation
Colours	Dual CYMHDk + Single Fp & Fy (F9430H)
Cartridge Size	8 / 10 x 1.5L Continuous Ink Supply System (CISS)
Refill	1.1L CYMHDk
Print Speed	4c Fast Fabric Production: 360 x 720 dpi (2 Pass) 60.1 m ² /hr 4c Standard Fabric Production : 720 x 720 dpi (3 Pass) 44.1 m ² /hr 4c HQ Standard Rigid Production : 720 x 720 dpi (6 Pass) 20.7 m ² /hr 6c Standard Fabric Production (F9430H only): 720 x 1440 dpi (6 Pass) 21.9m ² /hr 6c HQ Standard Rigid Production (F9430H only): 720 x 1440 dpi (12 Pass) 10.6m ² /hr
Paper Size	300 - 1626 mm wide x 250 mm diameter, 2"/ 3" core
Interface	High Speed USB 2.0 Ethernet 100Base-T / 1000Base-T
OS Compatibility	Windows 10, 8/8.1, 7 SP1 64bit or later
Memory	512 MB Main + 128 MB Network
Power Consumption	570W Operating / Standby 340W / 14W Sleep (1000BASE-T)

COMMERCIAL & INDUSTRIAL PRINTER


F Surecolor Fabric Series

SURECOLOR SC-F10030



Max Media Width 76 inch (1950mm)
 Print Head FOUR 4.7" Epson PrecisionCore™ TFP
 Nozzle Configuration 800 x 4 per head/colour
 Maximum Resolution 1200 x 1200dpi
 Min Droplet Size Dye Sublimation Epson Ultrachrome® DS
 Colours CYM +Hdk
 Supply DUAL Continuous Ink Supply System (CISS) with auto hot-swap
 Refills Choice of 3L or 10L box type PERFORMANCE
 Max Quality 1200 x 1200dpi*4 (9 Pass) 29.3m2/hr
 Size 300-1950mm wide, 250mm max diameter/ 60Kg max weight
 Thickness 0.04-1mm
 Control Panel 9" Colour Touch LCD
 Interface High Speed USB 3.0, Ethernet 1000Base-T
 Memory 155GBI
 Power Supply 2 x 16A, 240V, 50/60 Hz AC
 Power Consumption 3.9kW Operating / 221W Sleep / 9.6W Off
 Dimensions (W x D x H) 1303mm x 2886mm x 4607mm, 683Kg
 Printer (without media holders or ink)
 CISS: 877 x 556 x 541mm, 53kg (no ink)
 Operational Space (W x D x H) 5.6 x 3.3 x 2.0m recommended
 Weight 736kg (without ink)

SURECOLOR SC-F10030H



Max Media Width 76 inch (1950mm)
 Print Head six 4.7" Epson Precision Core tm TFP
 Colours CMY + HDk + Fluorescent Pink Fluorescent Yellow or Light Magenta Light Cyan
 Dimensions (W x D x H) 196" x 52" x 75" (4,978 mm x 1,303 mm x 1,886 mm)
 Weight Approx. 767 kg (Without ink cartridges)
 Printing Dimensions (W x H x D) 5,008 x 1,886 x 1,303 mm
 Power Consumption
 Operating: Approx. 4.4kw
 Ready: Approx. 230W
 Sleep: Approx. 230W
 Power Off (Stand by): Approx. 9.6 W

COMMERCIAL & INDUSTRIAL PRINTER

Direct-To-Fabric Printer

ML-8000



Print Technology PrecisionCore Inkjet Technology
 Number of Print Head 8
 Max Resolution 1,200 x 1,200 dpi (Pigment), 1,200 x 600 dpi (Reactive, Acid, Disperse)
 Print Speed Print Speed Square : 290 (300 x 600 dpi, 1 pass)1 / 3,122 (300 x 600 dpi, 1 pass)[†]
 Print Speed Linear : 193 (300 x 600 dpi, 1 pass)1 / 634 (300 x 600 dpi, 1 pass)[†]
 Power Consumption 12kVA
 Network USB 3.0 Ethernet 1000BASE-T
 Dimensions Printer: 3,700 (W) x 2,690 (D) x 1,830 (H) mm (146 x 106 x 72 in), Ink rack (with 10L ink) : 880 (W) x 960 (D) x 790 (H) mm(35 x 38 x 31 in)
 Weight Printer : Approx. 2,150 kg (4,740 lb), Ink rack : Approx. 110 kg (243 lb, not including ink)
 Print Speed 290 sqm/h (300x600) dpi, 1 pass
 Typical printing speed 155 sqm/h (600x600) dpi, 2 pass

Monna Lisa Evo Tre 16



Print Technology PrecisionCore Inkjet Technology
 Number of Print Head 16
 Max Resolution 1,200 x 1,200 dpi
 Print Speed Draft 1 404 m²/h
 Draft 2 270 m²/h
 Production 1 221 m²/h
 Production 2 171 m²/h
 Production 3 135 m²/h
 High Quality 1 103 m²/h
 High Quality 2 79 m²/h
 High Quality 3 63 m²/h
 Humidity 35-80% RH (Condensation)
 Dimension Printing Machine: Approx. 4,660 (W) x 2,390 (D) x 1,940 (H) mm
 Control Box: 620 (W) x 1,220 (D) x 2,070 (H) mm
 Ink Rack: 1,240 (W) x 1,300 (D) x 1,220 (H) mm
 Electrical Printing Machine: AC 3 Phase 400V 50A (50/60 Hz)
 Weight 4,650 kg
 Print Speed Maximum Printing Speed 434 sqm/h (300x600) dpi, 1 pass
 Typical Printing Speed 239 sqm/h (600x600) dpi, 2 pass
 161 sqm/h (900x600) dpi, 3 pass

COMMERCIAL & INDUSTRIAL PRINTER

Direct-To-Fabric Printer

Monna Lisa ML32000



Print Technology PrecisionCore Inkjet Technology
 Number of Print Head 32
 Max Resolution 1,200 x 1,200 dpi
 Print Speed Maximum Printing Speed (m2/h) 697 (300 x 600 dpi, 1 Pass)
 Typical Printing Speed 1 (m2/h) 423 (600 x 600 dpi, 2 Pass)
 Typical Printing Speed 2 (m2/h) 305 (900 x 600 dpi, 3 Pass)
 Maximum Printing Speed (sq ft/hr) 7,502 (300 x 600 dpi, 1 Pass)
 Typical Printing Speed 1 (sq ft/hr) 4,553 (600 x 600 dpi, 2 Pass)
 Typical Printing Speed 2 (sq ft/hr) 3,283 (900 x 600 dpi, 3 Pass)
 Humidity 40 - 60% RH (no condensation)
 Dimension Printing Machine: Approx. 4,610 (W) x 2,500 (D) x 2,070 (H) mm
 Control Box: 660 (W) x 1,500 (D) x 2,290 (H) mm
 Working Area: 8,110 (W) x 5,400 (D) x 2,290 (H) mm
 Electrical Weight 400V, 3 phase + Neutral + Earth
 n/a

Monna Lisa ML64000



Print Technology PrecisionCore Inkjet Technology
 Number of Print Head 64
 Max Resolution 1,200 x 1,200 dpi
 Print Speed Typical Printing Speed 1 (m2/h) 740 (600 x 600 dpi, 2 Pass)
 Typical Printing Speed 2 (m2/h) 533 (900 x 600 dpi, 3 Pass)
 Typical Printing Speed 1 (sq ft/hr) 7,965 (600 x 600 dpi, 2 Pass)
 Typical Printing Speed 2 (sq ft/hr) 5,737 (900 x 600 dpi, 3 Pass)
 Humidity 40 - 60% (no condensation)
 Dimension Printing Machine: Approx. 6,510 (W) x 4,960 (D) x 2,530 (H) mm
 Working Area: 8,500 (W) x 7,270 (D) x 2,640 (H) mm
 Electrical Weight AC 220 - 240V (withstand voltage AC 400V)
 n/a

COMMERCIAL & INDUSTRIAL PRINTER




Surecolor Photographic Series

SURECOLOR SC-P8530D



Technology PrecisionCore Inkjet Technology, Variable-Sized Droplet Technology
 Max Resolution 2,400 x 1,200 dpi
 Min Droplet Size 3.5pl
 Ink System UltraChrome Pro 6 Ink
 Ink Capacity 350, 700 ml
 Colours Cyan, Magenta, Yellow, Gray, Photo Black, Matte Black
 Interface SuperSpeed USB, 100BASE-TX /1000BASE-T/IEEE802.11b/g/n/ac, USB memory stick
 Power Consumption Operating: Approx. 70W, Ready: Approx. 32W, Sleep: Approx. 2.0W, Standby: Approx. 0.3W
 Dimension (WxHxD) 1,848 x 975 x 829 mm
 Weight Approx. 155 kg

SURECOLOR SC-P703



Max Print Wide Technology 13 inch wide
 On-demand ink jet (piezo electric), Variable-Sized Droplet Technology
 Max Resolution 5760x1440 dpi
 Min Droplet Size 1.5pl
 Ink System UltraChrome PRO10 ink
 Colours Cyan, Vivid Magenta, Photo Black, Matte Black, Gray, Light Gray, Yellow, Vivid Light Magenta, Light Cyan, Violet
 Interface Wired Connection: Super-Speed USB, 10BASE-T/100BASE-TX, Wireless Connection: Wi-Fi 4
 Power Consumption 22 W Operating/ 1.1 W Sleep
 Dimension (WxDxH) Close: 515x368x185 mm, Open: 515x769x420 mm
 Weight Main Unit: Approx. 12.6kg (without ink cartridge)

SURECOLOR SC-P903



Max Print Wide Technology 17 inch wide
 On-demand ink jet (piezo electric), Variable-Sized Droplet Technology
 Max Resolution 5760x1440 dpi
 Min Droplet Size 1.5pl
 Ink System UltraChrome PRO10 ink
 Colours Cyan, Vivid Magenta, Photo Black, Matte Black, Gray, Light Gray, Yellow, Vivid Light Magenta, Light Cyan, Violet
 Interface Wired Connection: Super-Speed USB, 10BASE-T/100BASE-TX, Wireless Connection: Wi-Fi 4
 Power Consumption 24 W Operating/ 1.1 W Sleep
 Dimension (WxDxH) Close: 615x368x199 mm, Open: 615x905x520 mm
 Weight Main Unit: Approx. 14.8kg (without ink cartridge), Option roll unit: 3.1kg

COMMERCIAL & INDUSTRIAL PRINTER

P Surecolor Photographic Series

SURECOLOR SC-P5000



Max Print Width 17 inch (432 mm)
 Print Head PrecisionCore® TFP
 Max Resolution 2880 dpi x 1440 dpi
 Min Droplet Size 3.5 pl
 Ink System Epson Ultrachrome® HDX
 Type Aqueous all-pigment
 Colours 11 (Configurable with Light Light Black OR Violet)
 Cartridge Size 200 ml
 Print Speed (A2 sheet)
 Draft: 360 dpi x 360 dpi 0.5 minutes
 Normal: 360 dpi x 720 dpi 0.8 minutes
 Fine: 720 dpi x 720 dpi 1.8 minutes
 Super Fine: 720 dpi x 1440 dpi 3.6 minutes
 Super Photo: 2880 dpi x 1440 dpi 7 minutes
 Paper Size 8" x 10" (203 x 254 mm) - A2+ (432 x 610 mm) sheets, 203-432 mm wide x 150 mm diameter 3" core / 103 mm diameter 2" core rolls
 Interface High Speed USB 2.0, Ethernet 10Base-T / 100Base-TX / 1000Base-T
 OS Compatibility Mac OS X 10.6.8 or later, Windows 10, 8/8.1, 7, Vista, & Win XP SP1
 Memory 256 MB Main and 128 MB Network
 Power Consumption 52W Operating / Standby 20W / 5W Sleep (1000BASE-T)
 Dimensions (W x D x H) 863 x 766 x 405 mm (Sheet feed & output tray closed)
 Weight 52kg (no ink)

SURECOLOR SC-P6000



Print Head PrecisionCore™ TFP printhead, Epson Variable-Sized Droplet Technology
 Max Resolution 2880x1440 dpi
 Min Droplet Size 3.5 pl
 Ink System Epson UltraChrome HD
 Colours Cyan, Photo Black, Matte Black, Vivid Magenta, Yellow, Light Cyan, Vivid Light Magenta, Light Black, Light Light Black
 Paper Path Friction Feed
 Roll Dimensions 254mm-610mm, 2inch-core/3inch-core
 2inch-core: Max 103mm/ 3inch-core: Max 150mm
 Paper Size (w) and Thickness 254mm (10") - 610mm (24"): Roll paper 254mm (10") - 610mm (24"): Cut Sheet 0.08-1.50mm
 Borderless 254mm (10in.), 300mm (11.8in.), 329mm (13in.), 406mm (16in.), 432mm (17in.), 515mm (20.3in.), 594mm (23in.), 610mm (24in.)
 Interface Hi-Speed USB, 10BASE-T/100BASE-T/1000BASE-T
 Dimension (W x D x H) 1,356 x 667 x 1,218 mm
 Weight Approx. 101kg

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-P6530E



Max Print Width 24 Inch
 Print Head PrecisionCore Micro TFP printhead
 Max Resolution 2400 dpl x 1200 dpl
 Min Droplet Size 3.5pl
 Ink System Ultra Chrome Pro 6 Ink
 Colours 6
 Paper Handling Roll Paper / Friction Head
 Print Speed 111 Sec, A1 Size Premium Glossy
 Printer Interface 1000 BASE-T
 OS Compatibility Mac OS X 10.6.8 or later, Mac os 11 or later
 Memory 4 GB
 Power Consumption Operating approx 75W
 Ready approx 32W
 Sleep approx 2W
 Standby approx 0.3W

SURECOLOR SC-P8000



Print Head PrecisionCore™ TFP printhead, Epson Variable-Sized Droplet Technology
 Max Resolution 2880x1440 dpi
 Min Droplet Size 3.5 pl
 Ink System Epson UltraChrome HD
 Colours Cyan, Photo Black, Matte Black, Vivid Magenta, Yellow, Light Cyan, Vivid Light Magenta, Light Black, Light Light Black
 Paper Path Friction Feed
 Roll Dimensions 254mm-1118mm, 2inch-core/ 3inch-core
 2inch-core: Max 103mm/ 3inch-core: Max 150mm
 Paper Size (w) and Thickness 254mm (10") - 1118mm (44"): Roll paper 210mm (A4) - 1118mm (44"): Cut Sheet 0.08-1.50mm
 Borderless 728mm(29in.), 841mm(A0/33in.), 914mm(36in.), 1118mm (44in.) 728mm (29in.), 841mm A0/33in., 914mm (36in.), 1118mm (44in.)
 Interface Hi-Speed USB, 10BASE-T/100BASE-T/1000BASE-T
 Dimension (W x D x H) 1,864 x 667 x 1,218 mm
 Weight Approx. 135kg


SURECOLOR SC-P7530



Max Print Width 24 inch
 Print Head Micro TFP Printhead
 Max Resolution 2400 dpi x 1200 dpi
 Min Droplet Size 3.5 pl
 Ink System Ultrachrome® Pro12 Pigment Ink
 Colours 12
 Paper Handling Roll Paper / Friction Feed
 Print Speed 97 sec (Level 1) 122 sec (Default) Premium Glossy
 Photo Paper 170 gsm A1 size/ISO
 Super Speed USB, 100 BASE - TX / 1000 BASE - T
 Printer Interface 1000 BASE - T
 OS Compatibility Mac OS X 10.6.8 or later, Windows XP / Vista / 7 / 8 / 8.1 (32/64bit) or later
 Memory 2 GB
 Power Consumption Operating : Approx 85 W
 Ready : Approx 32 W
 Sleep : Approx 3.4 W
 Power Off (Standby) : Approx 0.3 W

COMMERCIAL & INDUSTRIAL PRINTER

P Surecolor Photographic Series

**SURECOLOR
SC-P9530**


Max Print Width	44 inch
Print Head	Micro TFP Printhead
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome® Pro12 Pigment Ink
Colours	12
Paper Handling	Roll Paper / Friction Feed
Print Speed	219 sec (Level 1) 285 sec (Default) Premium Glossy
Printer Interface	Photo Paper 170 gsm B0 size/ISO USB Interface (Hi-Speed USB/USB, 100 BASE - TX / 1000 BASE - T
OS Compatibility	Mac OS X 10.6.8 or later, Windows XP / Vista / 7 / 8 / 8.1 (32/64bit) or later
Memory	2 GB
Power Consumption	Operating : Approx 110 W Ready : Approx 32 W Sleep : Approx 3.4 W Power Off (Stand by) : Approx 0.3 W

COMMERCIAL & INDUSTRIAL PRINTER

S Surecolor Signage Series

**SURECOLOR
SC-V7000**


Technology	MicroPiezo Inkjet Technology (Technology 1) Variable-Sized Droplet Technology (Technology 2)
Print Head	MicroPiezo Printhead
Nozzle Configuration	11,520 nozzles (180 nozzles x 8 lines x 8 head)
Max Resolution	720 x 1,440 dpi
Print Speed	Colour High Speed: 360 x 720 dpi, with speed 43.1 m/h
Curing Method	LED-UV type
Ink Type	UV Curable Ink
Colours	Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, Gray, Red, White, Varnish
Ink Capacity	1,000 ml (Ink Bottle)
Max Printing Area	Max. 2,500 x 1,250 mm
Max Media Size	Max. 2,500 x 1,250 mm
Interface	Super-Speed USB (Type-B)
Power Consumption	Operating: Approx. 4.8kW
Dimensions (W x D x H)	4,635mm x 2,768mm x 1,730mm
Weight	1,370 kg (With ink cartridges)

Epson 1st UV Flatbed Printer
S Surecolor Signage Series

**SURECOLOR
SC-R5030L**


Max Print Width	64 inch
Technology	PrecisionCore inkjet technology
Max Resolution	1,200 x 2,400 dpi With 600 x 600 dpi 8 Half Tone layers
Print Speed	Banner Fast Production Vinyl, Paper & Wall Covering - 21m ² /h (600 x 1200dpi 6 pass) Banner Production Vinyl, Paper & Wall Covering - 15.1m ² /h (1200 x 1200dpi 9 pass) Textile Production - 9.5m ² /h (1200 x 1200dpi 14 pass) Film Production - 5.2m ² /h (1200 x 2400dpi 26 pass)
Ink Type	Resin ink
Colours	Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta +Optimizer+Maintenance Liquid @ 3000ml
Ink Capacity	3000ml
Interface	USB (Hi-Speed USB), 100BASE-TX/1000BASE-T
Memory	2 GB
Power Consumption	4.6kW Operating/ 220W Ready/ 46W Sleep/ 1.1W Power Off (Stand by)
Dimensions (W x D x H)	Printing : 2,949mm x 1,045mm x 1,774mm Stowed : 2,949mm x 1,045mm x 1,605mm
Weight	449kg

SD-10
**Digital Colour
Spectrophotometer**


Technology	Spectroscopic Device
Spectral Range	400 - 700nm
Sampling Interval	Colour Measurement
Photometric Range	10 nm (Interpolation by software)
Light Source	LED (Including UV)
Measurement Conditions	M0: Including UV light component, ISO 13655:2017 measurement condition M0 M1e: D50 - Including UV light component, measurement conditions equivalent to ISO 13655:2017 measurement condition M1 (Measurement conditions held with a radiant power at all wavelengths from 400 to 700 nm, and power ratios in the 300 to 400 nm and 400 to 500 nm regions similar to D50) M2: Without UV, ISO 13655:2017 measurement condition M2
Calibration	White reference built in the sensor cover
Scan Length	400mm
Interfaces	USB Type-C, USB 2.0 Full-Speed BLE Bluetooth Low Energy
Dimensions (W x D x H)	35 x 80 x 80 mm (Shutter Closed) 35 x 80 x 77.6 mm (Shutter Opened)
Weight	Approx. 190g


COMMERCIAL & INDUSTRIAL PRINTER

S Surecolor Signage Series

SURECOLOR
SC-S40670

Max Print Width	64 inch
Print Head	PrecisionCore™ TFP® Printhead
Max Resolution	1440 dpi x 1440 dpi
Min Droplet Size	4.2 pl
Ink System	Epson Ultrachrome® GS3
Type	Eco-Solvent Based
Colours	CMYK
Cartridge Size	4 x 700 ml
Print Speed	Draft: 58.4m ² /hr (360 dpi x 720 dpi 1 pass) Billboard: 29.4m ² /hr (720 dpi x 720 dpi 2 pass) Banner: 16.6m ² /hr (720 dpi x 720 dpi 4 pass) Vinyl: 10.5m ² /hr (720 dpi x 1440 dpi 6 pass) Film: 3.5m ² /hr (1440 dpi x 1440 dpi 16 pass)
Paper Size	Single Roll, 2" or 3" core, 250 mm max outer diameter & 45kg max weight Sizing; 300 to 1626 mm wide, 500 mm min length, 1 mm max thickness
Interface	Hi-Speed USB 2.0, 100BASE-TX / 1000BASE-T
RIP Compatibility	Supplied with Epson Edge Print and supports a wide range of 3rd party applications
Memory	512 MB
Power Consumption	480W Operating / 330W Ready/ 12W Sleep
Dimensions (W x D x H)	2,620 x 1,338 x 880 mm (W x H x D)
Weight	279kg


COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR
SC-S60670L

Max Print Width	64 inch
Print Head	Dual PrecisionCore™ TFP® Printhead
Max Resolution	1440 dpi x 1440 dpi
Min Droplet Size	4.2 pl
Ink System	Epson Ultrachrome® GS3
Type	Eco-Solvent Based
Colours	Dual C, M, Y, K (Choice of Standard)
Cartridge Size	2 x 4 x 1500 ml
Print Speed	Max Speed: 95.3m ² /hr (360 dpi x 720 dpi 1 pass) Billboard: 52.3m ² /hr (720 dpi x 720 dpi 2 pass) Banner: 29.4m ² /hr (720 dpi x 720 dpi 4 pass) Vinyl: 17.6m ² /hr (720 dpi x 1440 dpi 6 pass) Film: 6.8m ² /hr (1440 dpi x 1440 dpi 16 pass)
Interface	High Speed USB & Ethernet 100Base-T / 1000Base-T
RIP Compatibility	Supplied with Epson Edge Print and supports a wide range of 3rd party applications
Memory	512 MB Main + 128 MB Network
Power Consumption	820W
Dimensions (W x D x H)	2,766 x 1,671 x 1,147mm
Weight	331kg w/ink

SURECOLOR
SC-S60670


Max Print Width	64 inch
Print Head	Dual PrecisionCore™ TFP® Printhead
Max Resolution	1440 dpi x 1440 dpi
Min Droplet Size	4.2 pl
Ink System	Epson Ultrachrome® GS3
Type	Eco-Solvent Based
Colours	CMYK
Cartridge Size	2 x 4 x 700 ml
Print Speed	Max Speed: 95.3m ² /hr (360 dpi x 720 dpi 1 pass) Billboard: 52.3m ² /hr (720 dpi x 720 dpi 2 pass) Banner: 29.4m ² /hr (720 dpi x 720 dpi 4 pass) Vinyl: 17.6m ² /hr (720 dpi x 1440 dpi 6 pass) Film: 6.8m ² /hr (1440 dpi x 1440 dpi 16 pass)
Paper Size	Single Roll, 2" or 3" core, 250 mm max outer diameter & 45kg max weight Sizing; 300 to 1626 mm wide, 500 mm min length, 1 mm max thickness
Interface	Hi-Speed USB 2.0, 100BASE-TX / 1000BASE-T
RIP Compatibility	Supplied with Epson Edge Print and supports a wide range of 3rd party applications
Memory	512 MB Main + 128 MB Network
Power Consumption	745W Operating / 445W Ready/ 13W Sleep
Dimensions (W x D x H)	2,620 x 1,338 x 972 mm (W x H x D)
Weight	291kg

SURECOLOR
SC-S80670

Max Print Width	64 inches
Print Head	DUAL Print Head PrecisionCore™ TFP® Printhead
Max Resolution	1440 dpi x 1440 dpi
Min Droplet Size	4.2 pl
Ink System	Epson Ultrachrome® GS3 & GS3+RED
Type	Eco-Solvent Based
Colours	C, M, Y, K, Lc, Lm, Lk, Or, Rd + (optional) White or Metallic Silver
Cartridge Size	9 x 700 ml + optional 1 x (600 ml Wht or 350 ml Mtl)
Print Speed	Max Speed(9c): 95.1m ² /hr (360 dpi x 360 dpi 1 pass) Billboard (9c): 31.6m ² /hr (720 dpi x 720 dpi 4 pass HS)
Paper Size	Banner (9c): 18.2m ² /hr (720 dpi x 720 dpi 6 pass) Input Format Single Roll with 2" or 3" core, 250 mm max outer diameter & 45kg max weight Sizing 300 to 1626 mm wide, 500 mm min length, 1 mm max thickness
Interface	High Speed USB 2.0 & Ethernet 100Base-T / 1000Base-T
RIP Compatibility	Supplied with Epson Edge Print and supports a wide range of 3rd party applications
Memory	2 GB, Network: 512MB +128MB
Power Consumption	745W Operating/380W Ready/14W Sleep
Dimensions (W x D x H)	2,620 x 1,338 x 880 mm (W x H x D)
Weight	284kg

COMMERCIAL & INDUSTRIAL PRINTER

S Surecolor Signage Series

SURECOLOR
SC-S80670L

Max Print Width	64 inches
Print Head	Dual PrecisionCore™ TFP® Printhead
Max Resolution	1440 dpi x 1440 dpi
Min Droplet Size	4.2 pl
Ink System	Epson Ultrachrome® GS3 & GS3+RED
Type	Eco-Solvent Based
Colours	C, M, Y, K, Lc, Lm, Lk, Or, Rd + (optional) White or Metallic Silver
Cartridge Size	9 x 1500 ml + optional 1 x (all color 1500ml) 1500ml White and 500ml Silver Metallic
Print Speed	High Speed: 52.3m ² /hr (360 dpi x 720 dpi 2 pass)
Paper Handling	Rear Roll Feed / Auto take-up reel
Paper Size	Input Format Single Roll with 2" or 3" core, 250 mm max outer diameter & 45kg max weight Sizing 300 to 1626 mm wide, 500 mm min length, 1 mm max thickness
Interface	High Speed USB & Ethernet 100Base-TX / 1000Base-T
RIP Compatibility	Supplied with Epson Edge Print and supports a wide range of 3rd party applications
Memory	2GB, Network: 128 MB
Power Consumption	640W
Dimensions (W x D x H)	2,766 x 1,671 x 1,090 mm
Weight	326kg w/ink

COMMERCIAL & INDUSTRIAL PRINTER

SURELAB
SL-D3000

Print Method	Epson Micro Piezo™ on-demand inkjet with Variable Sized Droplet Technology
Max Resolution	1440 x 1440dpi (Gloss & Lustre) / 720 x 720 dpi (Matte)
Min Droplet Size	1.5pl
Ink System	Epson UltraChrome D6 Ink
Colours	Colours 6 (Cyan, Yellow, Magenta, Black, Light Cyan, Light Magenta) 700 ml per colour
Media Handling	Single Roll Model Dual Roll Model Rear roll up to 305mm / 12" media width Rear roll up to 305mm / 12" media width Front roll up to 210mm / 8" media width Auto-Switch between front / rear rolls
Printer Interface	USB 2.0 Hi-Speed
OS Compatibility	Microsoft Windows XP Professional (SP3), Windows 7 Professional (32- or 64-bit) 2.8 GHz Intel® Core 2 Duo or better
Memory	-
Power Consumption	500W Operating/ 60W Standby

D Surelab Photolab Series

SURELAB
SL-D1030

Print Head	Micro Piezo Printhead
Max Resolution	1,440 x 720 dpi
Min Droplet Size	2.5 pl
Ink System	Epson UltraChrome D6r-S Dye Ink
Ink Capacity	250ml
Colours	Cyan, Magenta, Yellow, Light Cyan, Light Magenta, Black
Paper Size	Width: 89mm - 210mm ; Length: 148mm - 297mm
Print Size	Roll: Max. 1,000mm, Min. 50mm / Manual Feed: 1,000mm / Auto Sheet Feeder (ASF): 297mm
Interface	Hi-Speed USB, 100BASE-TX/10BASE-T, IEEE802.11b/g/n, Wi-Fi
OS Compatibility	Windows® 10, Windows® 8.1 for each 32bit/64bit, Macintosh Mac OS X (10.9.5 or later), Mac OS 11.X
Power Consumption	Operating: Approx. 80W / Ready: Approx. 14W / Sleep: Approx. 1.2W / Standby: Approx. 0.2W
Dimensions (W x D x H)	Single-sided Model: 460 x 683 x 359 mm Double-sided Model: 460 x 747 x 441 mm
Weight	Single-sided model: 17.6kg Double-sided model: 23.1kg Main unit: 17.6kg, Duplex Feeder: 5.5kg

SURELAB
SL-D530

Print Method	Micro Piezo Inkjet Technology with Variable Sized Droplet Technology
Max Resolution	1440 x 720dpi (High Quality) / 720 x 720 dpi (Standard) / 720x360 (Draft)
Max Droplet Size	2.5pl
Ink System	Epson UltraChrome D6r-S Dye Ink
Colours	Colours 6 (Cyan, Magenta, Yellow, Light Cyan, Light Magenta, Black) 70 ml per colour
Media Handling	Auto Sheet Feeder Width: 89mm - 102mm ; Length: 127mm - 152mm Auto Sheet Feeder: 3.5" x 5", 4" x 6" (100 sheets)
Printer Interface	Hi-Speed USB, 100BASE-TX/10BASE-T, IEEE802.11b/g/n
OS Compatibility	Windows® 11, Windows® 10, Windows® 8.1 for each 32bit/64bit, Macintosh Mac OS X (10/9/5 or later), Mac OS 11.X
Memory	0.5 GB
Power Consumption	18W Operating/ 3.8W Ready/1.4W Sleep/ 0.2W Standby

COMMERCIAL & INDUSTRIAL PRINTER

Commercial & Industrial Printer Consumable

Order Code	Description	Product	Order Code	Description	Product
C13T738100	Black	SC-B6070	C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	SC-P6000
C13T738200	Cyan		C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	
C13T738300	Magenta		C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	SC-P8000
C13T738400	Yellow		C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge	
C13T904100	Black	SC-B9070	C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	
C13T904200	Cyan		C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13T904300	Magenta		C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge	
C13T904400	Yellow		C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge	
C13T725100	Epson UltraChrome DG Ink - Black 600ml	SC-F2130	C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge	
C13T725200	Epson UltraChrome DG Ink - Cyan 600ml		C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	
C13T725300	Epson UltraChrome DG Ink - Magenta 600ml		C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	
C13T725400	Epson UltraChrome DG Ink - Yellow 600ml		C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	SC-P7000
C13T725A00	Epson UltraChrome DG Ink - White 600ml		C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge	
C13S400080	D5 Transfer General Purpose 24 inch Roll	SC-F530	C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	
C13S400079	D5 Transfer General Purpose 17 inch Roll		C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13S400081	D5 Transfer General Purpose A3 Roll		C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13S400082	D5 Transfer General Purpose A4 Roll		C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge	
C13S400077	D5 Transfer General Purpose A3 Sheet		C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge	
C13S400078	D5 Transfer General Purpose A4 Sheet		C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge	
C12C933151	Stand (24")		C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	
C12C935701	Roll Feed Spindle (24")		C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	
C13S210057	Maintenance Box		C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	SC-P7000
C13S210055	Auto Cutter Spare Blade		C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge	
C13T46H200	Epson UltraChrome DS Ink - Cyan 1.1L	SC-F6630	C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	
C13T46H300	Epson UltraChrome DS Ink - Magenta 1.1L		C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13T46H400	Epson UltraChrome DS Ink - Yellow 1.1L		C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge	
C13T46H800	Epson UltraChrome DS Ink - HD Black 1.1L		C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge	
C13T741200	Epson UltraChrome DS Ink - Cyan 1L x 6pcs	SC-F7270	C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge	
C13T741300	Epson UltraChrome DS Ink - Magenta 1L x 6pcs		C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	
C13T741400	Epson UltraChrome DS Ink - Yellow 1L x 6pcs		C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	
C13T741X00	Epson UltraChrome DS Ink - HD Black 1L x 6pcs		C13T824A00	Epson UltraChrome HDX 350ml Orange Pigment Ink Cartridge	
C13T46H200	Epson UltraChrome DS Ink - Cyan 1.1L	SC-F9340	C13T824B00	Epson UltraChrome HDX 350ml Green Pigment Ink Cartridge	
C13T46H300	Epson UltraChrome DS Ink - Magenta 1.1L		C13T824D00	Epson UltraChrome HDX 350ml Violet Pigment Ink Cartridge	
C13T46H400	Epson UltraChrome DS Ink - Yellow 1.1L		C13T809000	Epson UltraChrome Pro 700ml Light Grey Pigment Ink Cartridge	SC-P20070
C13T46H800	Epson UltraChrome DS Ink - HD Black 1.1L		C13T809100	Epson UltraChrome Pro 700ml Photo Black Pigment Ink Cartridge	
C13T46H600	Epson UltraChrome DS Ink - FY 1.1L		C13T809200	Epson UltraChrome Pro 700ml Cyan Pigment Ink Cartridge	
C13T46H500	Epson UltraChrome DS Ink - FP 1.1L		C13T809300	Epson UltraChrome Pro 700ml Vivid Magenta Pigment Ink Cartridge	
C13T327100	Photo Black	SC-P407	C13T809400	Epson UltraChrome Pro 700ml Yellow Pigment Ink Cartridge	
C13T327200	Cyan		C13T809500	Epson UltraChrome Pro 700ml Light Cyan Pigment Ink Cartridge	
C13T327300	Magenta		C13T809600	Epson UltraChrome Pro 700ml Vivid Light Magenta Pigment Ink Cartridge	
C13T327400	Yellow		C13T809700	Epson UltraChrome Pro 700ml Dark Grey Pigment Ink Cartridge	
C13T327700	Red		C13T809800	Epson UltraChrome Pro 700ml Matte Black Pigment Ink Cartridge	
C13T327800	Matte Black		C13T809900	Epson UltraChrome Pro 700ml Grey Pigment Ink Cartridge	
C13T327900	Orange		C13T913100	Epson UltraChrome HD 200ml Photo Black Pigment Ink Cartridge	SC-P5000
C13T327000	Gloss Optimizer		C13T913200	Epson UltraChrome HD 200ml Cyan Pigment Ink Cartridge	
C13T763100	Photo Black	SC-P607	C13T913300	Epson UltraChrome HD 200ml Vivid Magenta Pigment Ink Cartridge	
C13T763200	Cyan		C13T913400	Epson UltraChrome HD 200ml Yellow Pigment Ink Cartridge	
C13T763300	Vivid Magenta		C13T913500	Epson UltraChrome HD 200ml Light Cyan Pigment Ink Cartridge	
C13T763400	Yellow				
C13T763500	Light Cyan				
C13T763600	Vivid Light Magenta				
C13T763700	Light Black				
C13T763800	Matte Black				
C13T763900	Light Light Black				
C13T853100	Photo Black	SC-P807			
C13T853200	Cyan				
C13T853300	Vivid Magenta				
C13T853400	Yellow				
C13T853500	Light Cyan				
C13T853600	Vivid Light Magenta				
C13T853700	Light Black				
C13T853800	Matte Black				
C13T853900	Light Light Black				
C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	SC-P6000			
C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge				
C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge				
C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge				
C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge				
C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge				
C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge				

COMMERCIAL & INDUSTRIAL PRINTER

Commercial & Industrial Printer Consumable

Order Code	Description	Product	Order Code	Description	Product
C13T913600	Epson UltraChrome HD 200ml Vivid Light Magenta Pigment Ink Cartridge	SC-P5000	C11CH12402	SC-P7530	SC-P7530
C13T913700	Epson UltraChrome HD 200ml Light Black Pigment Ink Cartridge		C13T44N100	SC-P7530 PK IC (700ml)	
C13T913800	Epson UltraChrome HD 200ml Matte Black Pigment Ink Cartridge		C13T44N200	SC-P7530 CY IC (700ml)	
C13T913900	Epson UltraChrome HD 200ml Light Light Black Pigment Ink Cartridge		C13T44N300	SC-P7530 VM IC (700ml)	
C13T913A00	Epson UltraChrome HDX 200ml Orange Pigment Ink Cartridge		C13T44N400	SC-P7530 YL IC (700ml)	
C13T913B00	Epson UltraChrome HDX 200ml Green Pigment Ink Cartridge		C13T44N500	SC-P7530 LC IC (700ml)	
C13T913D00	Epson UltraChrome HDX 200ml Violet Pigment Ink Cartridge		C13T44N600	SC-P7530 VL IC (700ml)	
C11CH12402	SC-P7530	SC-P7530	C13T44N700	SC-P7530 LB IC (700ml)	
C13T44N100	SC-P7530 PK IC (700ml)		C13T44N800	SC-P7530 MK IC (700ml)	
C13T44N200	SC-P7530 CY IC (700ml)		C13T44N900	SC-P7530 LI IC (700ml)	
C13T44N300	SC-P7530 VM IC (700ml)		C13T44NA00	SC-P7530 OR IC (700ml)	
C13T44N400	SC-P7530 YL IC (700ml)		C13T44NB00	SC-P7530 GR IC (700ml)	
C13T44N500	SC-P7530 LC IC (700ml)		C13T44ND00	SC-P7530 VI IC (700ml)	
C13T44N600	SC-P7530 VL IC (700ml)		C13T44V100	SC-P7530 PK IC (350ml)	
C13T44N700	SC-P7530 LB IC (700ml)		C13T44V200	SC-P7530 CY IC (350ml)	
C13T44N800	SC-P7530 MK IC (700ml)		C13T44V300	SC-P7530 VM IC (350ml)	
C13T44N900	SC-P7530 LI IC (700ml)		C13T44V400	SC-P7530 YL IC (350ml)	
C13T44NA00	SC-P7530 OR IC (700ml)		C13T44V500	SC-P7530 LC IC (350ml)	
C13T44NB00	SC-P7530 GR IC (700ml)		C13T44V600	SC-P7530 VL IC (350ml)	
C13T44ND00	SC-P7530 VI IC (700ml)		C13T44V700	SC-P7530 LB IC (350ml)	
C13T44V100	SC-P7530 PK IC (350ml)		C13T44V800	SC-P7530 MK IC (350ml)	
C13T44V200	SC-P7530 CY IC (350ml)		C13T44V900	SC-P7530 LI IC (350ml)	
C13T44V300	SC-P7530 VM IC (350ml)		C13T44VA00	SC-P7530 OR IC (350ml)	
C13T44V400	SC-P7530 YL IC (350ml)		C13T44VB00	SC-P7530 GR IC (350ml)	
C13T44V500	SC-P7530 LC IC (350ml)		C13T44VD00	SC-P7530 VI IC (350ml)	
C13T44V600	SC-P7530 VL IC (350ml)		C13T44V100	SC-P7530 P BLACK IC (350ml)	
C13T44V700	SC-P7530 LB IC (350ml)		C13T44V200	SC-P7530 CYAN IC (350ml)	
C13T44V800	SC-P7530 MK IC (350ml)		C13T44V300	SC-P7530 VM IC (350ML)	
C13T44V900	SC-P7530 LI IC (350ml)		C13T44V400	SC-P7530 YELLOW IC (350ml)	
C13T44VA00	SC-P7530 OR IC (350ml)		C13T44V500	SC-P7530 LT CYAN IC (350ml)	
C13T44VB00	SC-P7530 GR IC (350ml)		C13T44V600	SC-P7530 VLM IC (350ml)	
C13T44VD00	SC-P7530 VI IC (350ml)		C13T44V700	SC-P7530 GREY IC (350ml)	
C13T44V100	SC-P7530 P BLACK IC (350ml)		C13T44V800	SC-P7530 M BLACK IC (350ml)	
C13T44V200	SC-P7530 CYAN IC (350ml)		C13T44V900	SC-P7530 LT GREY IC (350ml)	
C13T44V300	SC-P7530 VM IC (350ML)		C13T44VA00	SC-P7530 ORANGE IC (350ml)	
C13T44V400	SC-P7530 YELLOW IC (350ml)		C13T44VB00	SC-P7530 GREEN IC (350ml)	
C13T44V500	SC-P7530 LT CYAN IC (350ml)		C13T44VD00	SC-P7530 VIOLET IC (350ml)	
C13T44V600	SC-P7530 VLM IC (350ml)		C13T49V110	SC-V7000 Black IC (1000ml)	SC-V7000
C13T44V700	SC-P7530 GREY IC (350ml)		C13T49V210	SC-V7000 Cyan IC (1000ml)	
C13T44V800	SC-P7530 M BLACK IC (350ml)		C13T49V310	SC-V7000 Magenta IC (1000ml)	
C13T44V900	SC-P7530 LT GREY IC (350ml)		C13T49V410	SC-V7000 Yellow IC (1000ml)	
C13T44VA00	SC-P7530 ORANGE IC (350ml)		C13T49V510	SC-V7000 Light Cyan IC (1000ml)	
C13T44VB00	SC-P7530 GREEN IC (350ml)		C13T49V610	SC-V7000 Light Magenta IC (1000ml)	
C13T44VD00	SC-P7530 VIOLET IC (350ml)		C13T49V710	SC-V7000 Gray IC (1000ml)	
C13T49V110	SC-V7000 Black IC (1000ml)		C13T49V810	SC-V7000 Red IC (1000ml)	
C13T49V210	SC-V7000 Cyan IC (1000ml)		C13T49V910	SC-V7000 White IC (1000ml)	
C13T49V310	SC-V7000 Magenta IC (1000ml)		C13T49VA10	SC-V7000 Varnish IC (1000ml)	
C13T49V410	SC-V7000 Yellow IC (1000ml)		C13T48R100	SC-P8530D PHOTO BLACK 700ML	SC-P8530D
C13T49V510	SC-V7000 Light Cyan IC (1000ml)		C13T48R200	SC-P8530D CYAN IC 700ML	
C13T49V610	SC-V7000 Light Magenta IC (1000ml)		C13T48R300	SC-P8530D MAGENTA IC 700ML	
C13T49V710	SC-V7000 Gray IC (1000ml)		C13T48R400	SC-P8530D YELLOW IC 700ML	
C13T49V810	SC-V7000 Red IC (1000ml)		C13T48R800	SC-P8530D MATTE BLACK IC 700ML	
C13T49V910	SC-V7000 White IC (1000ml)		C13T48RE00	SC-P8530D GRAY IC 700ML	
C13T49VA10	SC-V7000 Varnish IC (1000ml)				
C13T48R100	SC-P8530D PHOTO BLACK 700ML	SC-P8530D			
C13T48R200	SC-P8530D CYAN IC 700ML				
C13T48R300	SC-P8530D MAGENTA IC 700ML				
C13T48R400	SC-P8530D YELLOW IC 700ML				
C13T48R800	SC-P8530D MATTE BLACK IC 700ML				
C13T48RE00	SC-P8530D GRAY IC 700ML				
C11CH13402	SC-P9530	SC-P9530	C13T44N100	SC-P9530 PK IC (700ml)	
C13T44N100	SC-P9530 PK IC (700ml)		C13T44N200	SC-P9530 CY IC (700ml)	
C13T44N200	SC-P9530 CY IC (700ml)		C13T44N300	SC-P9530 VM IC (700ml)	
C13T44N300	SC-P9530 VM IC (700ml)		C13T44N400	SC-P9530 YL IC (700ml)	
C13T44N400	SC-P9530 YL IC (700ml)		C13T44V500	SC-P9530 LC IC (350ml)	
C13T44V500	SC-P9530 LC IC (350ml)		C13T44V600	SC-P9530 VL IC (350ml)	
C13T44V600	SC-P9530 VL IC (350ml)		C13T44V700	SC-P9530 LB IC (350ml)	
C13T44V700	SC-P9530 LB IC (350ml)		C13T44V800	SC-P9530 MK IC (350ml)	
C13T44V800	SC-P9530 MK IC (350ml)		C13T44V900	SC-P9530 LI IC (350ml)	
C13T44V900	SC-P9530 LI IC (350ml)		C13T44VA00	SC-P9530 OR IC (350ml)	
C13T44VA00	SC-P9530 OR IC (350ml)		C13T44VB00	SC-P9530 GR IC (350ml)	
C13T44VB00	SC-P9530 GR IC (350ml)		C13T44VD00	SC-P9530 VI IC (350ml)	
C13T44VD00	SC-P9530 VI IC (350ml)		C13T44V100	SC-P9530 P BLACK IC (350ml)	
C13T44V100	SC-P9530 P BLACK IC (350ml)		C13T44V200	SC-P9530 CYAN IC (350ml)	
C13T44V200	SC-P9530 CYAN IC (350ml)		C13T44V300	SC-P9530 VM IC (350ml)	
C13T44V300	SC-P9530 VM IC (350ml)		C13T44V400	SC-P9530 YELLOW IC (350ml)	
C13T44V400	SC-P9530 YELLOW IC (350ml)		C13T44V500	SC-P9530 LT CYAN IC (350ml)	
C13T44V500	SC-P9530 LT CYAN IC (350ml)		C13T44V600	SC-P9530 VLM IC (350ml)	
C13T44V600	SC-P9530 VLM IC (350ml)		C13T44V700	SC-P9530 GREY IC (350ml)	
C13T44V700	SC-P9530 GREY IC (350ml)		C13T44V80		